

B E R N A T

Book 516

Price \$3.75 In Canada \$4.50

Irish Knits

1067-516

8001-516



Aran Islands



I was invited, courtesy of The Irish Export Board, to photograph this authentic book of Aran designs on the Aran Islands off the west coast of Ireland. My sincere thanks are due to Air Arann and Mr. Tarlach DeBlacam of Inis Meán Knitwear whose help made this memorable visit possible.

Eleanor Bernat

Fashion Director

Photography by Phil Porcella

Scarves by Liberty of London

Men's slacks & caps by L.L. Bean

Ladies skirts & slacks courtesy of
The Butterick Co., Inc.

Every effort has been made to have the knitting directions contained in this book accurate and complete; however, we cannot be responsible for variance of individual knitters, human errors or typographical mistakes.

HANDICRAFTER® NO. 516

© 1983

833

Printed in U.S.A.

Bernat Yarn & Craft Corp.
In Canada: Bernat Yarns Limited, Scarborough, Ontario M1S 3P8

Here on these islands of the North Atlantic, at Europe's westernmost point, legend lives.

It lives in the druidical stone structures and medieval castles, now in ruins, that dot the rocky shores.

It lives in the daily toil and travail of Aran fisherfolk, who carry on a centuries-old way of life.

It lives, above all, in authentic Aran knitwear. The hand-knitted garments of these rustic people have developed a significance beyond their primary function of protecting the wearer against biting ocean winds and salt spray. Their elaborate stitch patterns speak eloquently of love, home, faith, and work—the simple threads which form the fabric of Aran life.

Natives of the islands claim they can identify a stranger simply through the pattern in his sweater. Indeed, the celebrated Irish author J.M. Synge, in his famous tale, "Riders to the Sea," relates the tragedy of a girl recognizing her drowned brother by the stitches in the jumper which she had knit for him.

It is legend and history written large and full, penned lovingly with needles. As you knit Bernat's authentic Aran sweaters, you will, like the fisherfolk of their famous islands, become involved in a way of life. Here are just a few of the many stitches that tell the richly symbolic story of the Aran people:

Honeycomb--Said to symbolize busy activity and hard work; recalls the honey earned by the industrious bee.

Trinity (also called Blackberry or Bramble)--Depicts the Holy Trinity--Three in One and One in Three--three stitches knit in one, and three stitches are made from one. The emblem of God-given life and being.

Tree of Life--The limbs--offshoots of the long-lived parent trunk--symbolize strong sons and family unity. Also a fertility symbol.

Trellis--Depicts the small, stone-walled fields in Western Ireland or the pattern in the fisherman's nets.

Zig Zag--The winding cliff paths along the rocky shores.

Double Zig Zag--Known as the "Marriage Lines," these represent two people traveling life's ups and downs together.

Cable--The fisherman's rope, essential to the prosperity of a fishing village; safety and good luck while fishing.

Ladder of Life--Possibly the ladder from earth to eternal happiness or the climbing of life's difficulties.

Irish Moss--A symbol of gratitude for a gift of the sea--the edible seaweed called Carrageen Moss, which was harvested at low tide and was an important source of nourishment.

Diamond--Symbol of success, wealth, and treasure to the wearer.

Bobbles--Men in a **curragh**, the traditional Irish fishing craft.


Blarney Kiss--A cable-within-a-cable to symbolize the gift of a persuasive tongue, recalling the story of the famous stone and those who kiss it.

Basket--Depicts the fisherman's basket, the **creel**, and embodies the hope of an abundant catch.

Link--The eternal link with those who left home to sail to faraway lands.



Tree of Life



Trellis



Double Zig Zag



Cable



Trinity



Basket



Diamond



Honeycomb

Start a beautiful Bernat Aran handknit today and continue the lovely allegory that is so much a part of Irish heritage.



4261-516

pg. 25



8000-516

pg. 13



4259-516

pg. 26



1067-516

pg. 7



Boarding the Air Arann plane with models at Galway for a 20 minute "jump" to Inis Meain.



8002-516

pg. 34



8003-516

pg. 16



5220-516

pg. 20



Quaint thatched roofs, bleak limestone walls and the distant sea are dominant elements in the remote Aran terrain.



5222-516 pg. 4



8005-516 pg. 6



4260-516 pg. 37



8001-516 pg. 28



8004-516 pg. 10



Aran locals in their annual march to the shore where they will dispatch their cattle to market.



1066-516 pg. 31



These currachs help to "swim" the cattle to a barge waiting off shore.



5221-516 pg. 23

STYLE NO. 5222-516

(shown on opposite pg.)

These directions are for children's small size (4-6). Changes for medium size (8-10) and large size (12-14) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)

— 9(11-16)

OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting needles Nos. 3 and 6 (3.00 mm and 4.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 3 (3.00 mm)

1 BERNAT-Aero cable stitch needle

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

EXPLANATION OF ABBREVIATIONS USED IN PATTERN STITCH FOR BACK AND FRONT

See Style No. 8005-516 on page 6.

PATTERN STITCH FOR BACK AND FRONT

Row 1: (K 1 B, p 1) 3(5-8) times, k 1 B, p 2, RC 2, LC 2, (p 5, BC 4, p 5, RC 2, LC 2) 3 times, p 2, k 1 B, (p 1, k 1 B) 3(5-8) times.

Row 2: K 9(13-19), p 4, (k 5, p 4) 6 times, k 9(13-19).

Row 3: (K 1 B, p 1) 3(5-8) times, k 1 B, p 2, LC 2, RC 2, (p 4, BT 3, FT 3, p 4, LC 2, RC 2) 3 times, p 2, k 1 B, (p 1, k 1 B) 3(5-8) times.

Row 4: K 9(13-19), p 4, (k 4, p 2, k 2, p 2, k 4, p 4) 3 times, k 9(13-19).

Row 5: (K 1 B, p 1) 3(5-8) times, k 1 B, p 2, RC 2, LC 2, (p 3, BT 3, p 2, FT 3, p 3, RC 2, LC 2) 3 times, p 2, k 1 B, (p 1, k 1 B) 3(5-8) times.

Row 6: K 9(13-19), p 4, (k 3, p 2, k 4, p 2, k 3, p 4) 3 times, k 9(13-19).

Row 7: (K 1 B, p 1) 3(5-8) times, k 1 B, p 2, LC 2, RC 2, (p 2, BT 3, p 4, FT 3, p 2, LC 2, RC 2) 3 times, p 2, k 1 B, (p 1, k 1 B) 3(5-8) times.

Row 8: K 9(13-19), p 4, (k 2, p 2, k 6, p 2, k 2, p 4) 3 times, k 9(13-19).

Repeat these 8 rows for pattern stitch for back and front.

BACK: Using smaller straight needles, cast on 76(84-96) sts. K 1, p 1 in ribbing for 10 rows. Change to larger needles and work even in pattern st until piece measures 9½(11½-12½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(5-5) sts. **Row 3:** K 2, p 2 tog, work to last 4

sts, p 2 tog, k 2. **Row 4:** P 3, work to last 3 sts, p 3. Repeat the last 2 rows 17(17-22) times more, ending with Row 4 — 34(38-40) sts. **Row 1:** K 2, p 3 tog, work to last 5 sts, p 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat the last 2 rows 1(2-2) times more. Sl remaining 26(26-28) sts onto a holder.

FRONT: Work to correspond to back until 40(44-46) sts remain, ending with a right side row. **SHAPE NECK:** Work 13(15-15) sts, sl centre 14(14-16) sts onto a holder, join another ball of yarn and work last 13(15-15) sts. Working on both sides at once, dec 1 st at each arm edge every other row in same manner as before 5(6-6) times more, and AT THE SAME TIME, dec 1 st at each neck edge EVERY ROW 8(9-9) times. Fasten off.

SLEEVES: Using smaller straight needles, cast on 32(34-36) sts. K 1, p 1 in ribbing for 9 rows. P the next row, inc 14(16-14) sts evenly spaced across row — 46(50-50) sts. Change to larger needles and work as follows: **Row 1:** (K 1 B, p 1) 1(2-2) times, put a marker on needle, p 1, RC 2, LC 2, [p 5, BC 4, p 5, RC 2, LC 2] twice, p 1, put a marker on needle, (p 1, k 1 B) 1(2-2) times. **Row 2:** K 3(5-5), p 4, (k 5, p 4) 4 times, k 3(5-5). **Row 3:** (K 1 B, p 1) 1(2-2) times, p 1, LC 2, RC 2, [p 4, BT 3, FT 3, p 4, LC 2, RC 2] twice, p 1, (p 1, k 1 B) 1(2-2) times. **Row 4:** K 3(5-5), p 4, [k 4, p 2, k 2, p 2, k 4, p 4] twice, k 3(5-5). Keeping centre 36 sts between markers in pattern st, work remaining sts in pattern as established, inc 1 st each end of needle every 2(1½-1) inches 5(6-9) times, forming new patterns as sts are inc. Work even in pattern as established on 56(62-68) sts until piece measures 11(12¼-13¾) inches, ending with a wrong side row. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 3(5-5) sts. Repeat Rows 3 and 4 of armhole shaping 18 (19-26) times, ending with Row 4. **ON SMALL AND MEDIUM SIZES ONLY:** **Row 1:** K 2, p 3 tog, work to last 5 sts, p 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat the last 2 rows once more. **ON ALL SIZES:** Sl remaining 6 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, using dp needles, pick up and k 60(66-74) sts around neck edge, including sts from holders. K 1, p 1 in ribbing for 2½(2½-3) inches. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



8005-516

5222-516



STYLE NO. 8005-516

(shown on pg. 5)

These directions are for small size (32-34). Changes for medium size (36-38), large size (40-42) and extra large size (44-46) are in parentheses. For men's sizes advance one step. Example — women's medium size (36-38) is men's small size (36-38).

MATERIALS

BERNAT BLARNEYSPOUN (50 gr. balls)
— 17(19-23-25)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting
needles Nos. 3 and 6 (3.00 mm and 4.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 3 (3.00 mm)
1 BERNAT-Aero cable stitch needle

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

EXPLANATION OF ABBREVIATIONS USED IN PATTERN STITCH FOR BACK AND FRONT

K 1 B - K in BACK of next st.

RC 2 - skip next st, k next st, k skipped st.

LC 2 - skip next st, k in BACK of next st, k
skipped st.

BC 4 - sl next 2 sts onto cable needle and hold
in BACK of work, k next 2 sts, k 2 sts from
cable needle.

BT 3 - sl next st onto cable needle and hold in
BACK of work, k next 2 sts, p st from cable
needle.

FT 3 - sl next 2 sts onto cable needle and hold
in FRONT of work, p next st, k 2 sts from cable
needle.

PATTERN STITCH FOR BACK AND FRONT

Row 1: (K 1 B, p 1), 6(3-7-9) times, k 1 B, p 2,
RC 2, LC 2, [p 7, BC 4, p 7, RC 2, LC 2]

3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B) 6(3-7-9)
times.

Row 2: K 15(9-17-21), p 4, (k 7, p 4) 6(8-8-8)
times, k 15(9-17-21).

Row 3: (K 1 B, p 1) 6(3-7-9) times, k 1 B, p 2,
LC 2, RC 2, [p 6, BT 3, p 6, FT 3, p 6, LC 2, RC 2]
3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B) 6(3-7-9)
times.

Row 4: K 15(9-17-21), p 4, [k 6, p 2, k 2, p 2,
k 6, p 4] 3(4-4-4) times, k 15(9-17-21).

Row 5: (K 1 B, p 1) 6(3-7-9) times, k 1 B, p 2,
RC 2, LC 2, [p 5, BT 3, p 2, FT 3, p 5, RC 2,
LC 2] 3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B)
6(3-7-9) times.

Row 6: K 15(9-17-21), p 4, [k 5, p 2, k 4, p 2,
k 5, p 4] 3(4-4-4) times, k 15(9-17-21).

Row 7: (K 1 B, p 1) 6(3-7-9) times, k 1 B, p 2,
LC 2, RC 2, [p 4, BT 3, p 4, FT 3, p 4, LC 2,
RC 2] 3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B)
6(3-7-9) times.

Row 8: K 15(9-17-21), p 4, [k 4, p 2, k 6, p 2,
k 4, p 4] 3(4-4-4) times, k 15(9-17-21).

Row 9: (K 1 B, p 1) 6(3-7-9) times, k 1 B, p 2,
RC 2, LC 2, [p 3, BT 3, p 6, FT 3, p 3, RC 2,
LC 2] 3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B)
6(3-7-9) times.

Row 10: K 15(9-17-21), p 4, [k 3, p 2, k 8, p 2,
k 3, p 4] 3(4-4-4) times, k 15(9-17-21).

Row 11: (K 1 B, p 1) 6(3-7-9) times, k 1 B, p 2,
LC 2, RC 2, [p 2, BT 3, p 8, FT 3, p 2, LC 2,
RC 2] 3(4-4-4) times, p 2, k 1 B, (p 1, k 1 B)
6(3-7-9) times.

Row 12: K 15(9-17-21), p 4, [k 2, p 2, k 10, p 2,
k 2, p 4] 3(4-4-4) times, k 15(9-17-21).

Repeat these 12 rows for pattern stitch for back
and front.

BACK: Using smaller straight needles, cast on
100(110-126-134) sts. K 1, p 1 in ribbing for 2
inches. Change to larger needles and work
even in pattern st until piece measures 15½
(16-16½-17) inches, ending with a wrong side

(cont. on pg. 7)

row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 1(1-5-4) sts. **Row 3:** K 2, p 2 tog, work to last 4 sts, p 2 tog, k 2. **Row 4:** P 3, work to last 3 sts, p 3. Repeat the last 2 rows 33(33-34-34) times more, ending with Row 4. **ON MEDIUM, LARGE AND EXTRA LARGE SIZES ONLY:** **Row 1:** K 2, p 3 tog, work to last 5 sts, p 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat the last 2 rows 1(2-4) times more. **ON ALL SIZES:** Sl remaining 30(32-34-36) sts onto a holder.

FRONT: Work to correspond to back until 40 (40-50-54) sts remain, ending with a right side row. **SHAPE NECK:** Work 13(13-14-15) sts, sl centre 14(14-22-24) sts onto a holder, join another ball of yarn and work last 13(13-14-15) sts. Working on both sides at once, dec 1 st at each arm edge every other row in same manner as before 5 times more, and **AT THE SAME TIME**, dec 1 st at each neck edge **EVERY ROW** 8(8-9-10) times. Fasten off.

SLEEVES: Using smaller straight needles, cast on 42(44-46-48) sts. K 1, p 1 in ribbing for 2 inches. P the next row, inc 12(14-12-14) sts evenly spaced across row — 54(58-58-62) sts. Change to larger needles and work as follows: **Row 1:** (K 1 B, p 1) 1(2-2-3) times, p 1, RC 2, LC 2, [p 7, BC 4, p 7, RC 2, LC 2] twice, p 1, (p 1, k 1 B) 1(2-2-3) times. **Row 2:** K 3(5-5-7), p 4, (k 7, p 4) 4 times, k 3(5-5-7). **Row 3:** (K 1 B, p 1) 1(2-2-3) times, p 1, LC 2, RC 2, [p 6, BT 3, FT 3, p 6, LC 2, RC 2] twice, p 1, (p 1, k 1 B) 1(2-2-3) times. **Row 4:** K 3(5-5-7), p 4, [k 6, p 2, k 2, p 2, k 6, p 4] twice, k 3(5-5-7). Continue in this manner to keep 44 sts in pattern st and remaining sts in pattern as established, inc 1 st each end of needle every 1(1-3/4-3/4) inch 15(15-19-20) times, forming new patterns as sts are inc. Work even on 84(88-96-102) sts until piece measures 18(18 1/2-19-19 1/2) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 1(1-5-4) sts. Repeat Rows 3 and 4 of back shaping 32(36-38-38) times — 18(14-10-18) sts. **ON SMALL, MEDIUM AND EXTRA LARGE SIZES ONLY:** **Row 1:** K 2, p 3 tog, work to last 5 sts, p 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat these 2 rows 7(0-1) times more. **ON ALL SIZES:** Sl remaining 10 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, using dp needles, pick up and k 88(92-96-100) sts around neck edge, including sts from holders. K 1, p 1 in ribbing for 3 inches. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



STYLE NO. 1067-516

(shown on front cover)

These directions are for small size (8-10). Changes for medium size (12-14) and large size (16-18) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls) — 23(25-27)
OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 pair each BERNAT-Aero straight knitting needles Nos. 4 and 7 (3.25 mm and 4.50 mm)
OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 BERNAT-Aero cable stitch needle
6 buttons

GAUGE: 6 sts = 1 inch

NOTE: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

(cont. on pg. 8)

PATTERN STITCH FOR BACK

Row 1: (K 1, p 1) 1(3-5) times, k in BACK loop of next st (k 1B), p 2; sl next 3 sts onto cable needle and hold in BACK of work, k next st, k 3 sts from cable needle, k 1, sl next st onto cable needle and hold in FRONT of work, k next 3 sts, k st from cable needle (CP9);

* p 2; [sl next 2 sts onto cable needle and hold in BACK of work, k next 2 sts, k 2 sts from cable needle (CB4); sl next 2 sts onto cable needle and hold in FRONT of work, k next 2 sts, k 2 sts from cable needle (CF4)] 3 times, p 2 *, CP9, p 2, CF4, p 2, CP9, repeat between *'s once, CP9, p 2, k 1B, (k 1, p 1) 1(3-5) times.

Row 2: (K 1, p 1) 1(3-5) times, p in BACK loop of next st (p 1B), * k 2, p 9, k 2, p 24, k 2, p 9, k 2 *, p 4, repeat between *'s once, p 1B, (k 1, p 1) 1(3-5) times.

Row 3: (P 1, k 1) 1(3-5) times, k 1B, * p 2, k 4; k in front, back, front of next st (3 sts made in 1 st), (turn, k 3) twice, sl 2nd and 3rd sts over first st (Bobble made); k 4, p 2, k 24, p 2, k 4, Bobble, k 4, p 2 *, k 4, repeat between *'s once, k 1B, (p 1, k 1) 1(3-5) times.

Row 4: (P 1, k 1) 1(3-5) times, p 1B, * k 2, p 9, k 2, p 24, k 2, p 9, k 2 *, p 4, repeat between *'s once, p 1B, (p 1, k 1) 1(3-5) times.

Row 5: (K 1, p 1) 1(3-5) times, k 1B, * p 2, CP9, p 2, (CF4, CB4) 3 times, p 2, CP9, p 2 *, CF4, repeat between *'s once, k 1B, (k 1, p 1) 1(3-5) times.

Row 6: Repeat Row 2.

Row 7: Repeat Row 3.

Row 8: Repeat Row 4.

Repeat these 8 rows for pattern stitch for back.

BACK: Using smaller needles, cast on 84(90-96) sts. K in BACK of next st (k 1B), p 1 in ribbing for 2 inches. P the next row, inc at even intervals to 110(118-126) sts. Change to larger needles and work even in pattern st for back until piece measures 15½ inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 4(5-6) sts. **Row 3:** K 1, sl 1 as if to k, k 1, pss, work in pattern as established to last 3 sts, k 2 tog, k 1. **Row 4:** K 2, work in pattern as established to last 2 sts, k 2. Repeat the last 2 rows 9(12-15) times more, ending with a right side row — 82 sts. Then repeat Row 3 ONLY until 32 sts remain. On the next row k 2, * k 2 tog, k 1, repeat from * across row. Bind off remaining 22 sts.

PATTERN STITCH FOR LEFT FRONT

Row 1: (K 1, p 1) 1(3-5) times, k 1B, p 2, CP9, p 2, (CB4, CF4) 3 times, p 2, CP9, p 2.

Row 2: K 2, p 9, k 2, p 24, k 2, p 9, k 2, p 1B, (k 1, p 1) 1(3-5) times.



Row 3: (P 1, k 1) 1(3-5) times, k 1B, p 2, k 4, Bobble, k 4, p 2, k 24, p 2, k 4, Bobble, k 4, p 2.

Row 4: K 2, p 9, k 2, p 24, k 2, p 9, k 2, p 1B, (p 1, k 1) 1(3-5) times.

Row 5: (K 1, p 1) 1(3-5) times, k 1B, p 2, CP9, p 2, (CF4, CB4) 3 times, p 2, CP9, p 2.

Row 6: Repeat Row 2.

Row 7: Repeat Row 3.

Row 8: Repeat Row 4.

Repeat these 8 rows for pattern stitch for left front.

POCKET LINING: Make 2. Using smaller needles, cast on 24 sts. K 1B, p 1 in ribbing for 2½ inches. Sl sts onto a holder.

LEFT FRONT: Using smaller needles, cast on 42(44-46) sts. K 1B, p 1 in ribbing for 2 inches. P the next row, inc at even intervals to 53(57-61) sts. Change to larger needles and work in pattern st for left front for 10 rows. **INSERT POCKET:** Work 16(20-24) sts, sl next 24 sts on to a holder, work in pattern st across 24 sts of one pocket lining, work to end of row. Continue in pattern st until piece measures 15½ inches, ending with a wrong side row and same row of pattern st as on back at underarm. **SHAPE FULL-FASHIONED RAGLAN ARMHOLE:** At

(cont. on pg. 9)

arm edge bind off 4(5-6) sts, work to end of row. **Row 2:** Work to last 2 sts, k 2. **Row 3:** K 1, sl 1 as if to k, k 1, pss, work to end of row. Repeat the last 2 rows 9(12-15) times more, ending at front edge — 39 sts. **SHAPE NECK:** At beg of next row bind off 8 sts, work in pattern as established to end of row. Then dec 1 st at arm edge in same manner as on back **EVERY ROW** 6 times, and **AT THE SAME TIME**, at neck edge dec 1 st **EVERY ROW** 6 times. Keeping neck edge even, continue to dec 1 st at arm edge **EVERY ROW** 19 times more. Fasten off.

PATTERN STITCH FOR RIGHT FRONT

Row 1: P 2, CP9, p 2, (CB4, CF4) 3 times, p 2, CP9, p 2, k 1B, (k 1, p 1) 1(3-5) times.
Row 2: (K 1, p 1) 1(3-5) times, p 1B, k 2, p 9, k 2, p 24, k 2, p 9, k 2.

Row 3: P 2, k 4, Bobble, k 4, p 2, k 24, p 2, k 4, Bobble, k 4, p 2, k 1B, (p 1, k 1) 1(3-5) times.

Row 4: (P 1, k 1) 1(3-5) times, p 1B, k 2, p 9, k 2, p 24, k 2, p 9, k 2.

Row 5: P 2, CP9, p 2, (CF4, CB4) 3 times, p 2, CP9, p 2, k 1B, (k 1, p 1) 1(3-5) times.

Row 6: Repeat Row 2.

Row 7: Repeat Row 3.

Row 8: Repeat Row 4.

Repeat these 8 rows for pattern stitch for right front.

RIGHT FRONT: Work to correspond to left front until 10 rows of pattern st for right front have been completed. **INSERT POCKET:** Work 13 sts, sl next 24 sts onto a holder, work in pattern st for right front across 24 sts of pocket lining, work to end of row. Finish to correspond to left front, reversing all shaping. **TO DEC FOR FULL-FASHIONED RAGLAN ARMHOLE:** Work to last 3 sts, k 2 tog, k 1. On the next row k 2, work to end of row.

PATTERN STITCH FOR SLEEVES

Row 1: P 2, CP9, * p 2, (CB4, CF4) twice, p 2, * CF4, repeat between *s once, CP9, p 2.

Row 2 and all even rows: K 2, p 9, k 2, p 16, k 2, p 4, k 2, p 16, k 2, p 9, k 2.

Row 3: P 2, k 4, Bobble, (k 4, p 2, k 16, p 2) twice, k 4, Bobble, k 4, p 2.

Row 5: P 2, CP9, * p 2, (CF4, CB4) twice, p 2, * CF4, repeat between *s once, CP9, p 2.

Row 7: Repeat Row 3.

Row 8: Repeat Row 2.

Repeat these 8 rows for pattern stitch for sleeves.

SLEEVES: Using smaller needles, cast on 44 sts. K 1B, p 1 in ribbing for 2½ inches. P the

next row, inc at even intervals to 66 sts. Change to larger needles and work in pattern st for sleeves, inc 1 st each end of needle every 6th row 5(7-10) times, working first inc sts each end of needle in k 1 B, and remaining inc sts in double seed st. Work even in pattern as established on 76(80-86) sts until piece measures 17½(18½) inches or desired length to underarm, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 4(5-6) sts. Dec in same manner as on back until 28(24-20) sts remain. Then repeat Row 3 **ONLY** 6(4-2) times — 16 sts. On the next row k 1, * k 2 tog, k 1, repeat from * across row. Bind off remaining 11 sts as if to p.

PATTERN STITCH FOR COLLAR

Row 1: K 1, (CB4, CF4) 15 times, k 1.

Row 2 and all even rows: Purl.

Rows 3 and 7: Knit.

Row 5: K 1, (CF4, CB4) 15 times, k 1.

Row 8: Repeat Row 2.

Repeat these 8 rows for pattern stitch for collar.

COLLAR: Using smaller needles, cast on 146 sts. K 1B, p 1 in ribbing for 4 rows. On the next row bind off 24 sts, k until there are 98 sts on needle, bind off remaining 24 sts. Break off yarn. With wrong side facing you, join yarn and p, inc at even intervals to 122 sts. Change to larger needles and work even in pattern st for collar for 24 rows. On the next row k 2, * k 2 tog, k 1, repeat from * across row. Bind off remaining 80 sts as if to p. Sew bound-off sts to each short edge of collar.

LEFT FRONTBAND: Using smaller needles, cast on 8 sts. K 1B, p 1 in ribbing until piece is same length as front to beg of neck shaping, stretching slightly. Bind off.

RIGHT FRONTBAND: Work to correspond to left frontband, forming first buttonhole when piece measures ½ inch. **BUTTONHOLE:** Work 3 sts, bind off the next 2 sts, work to end of row. On the next row cast on 2 sts over those bound off previous row. Make 5 more buttonholes, evenly spaced — the last one to be made ¾ inch below start of neck shaping.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **POCKETBANDS:** With right side facing you, sl 24 sts of one pocket from holder onto smaller needle. Join yarn and k 1B, p 1 in ribbing for 4 rows. Bind off in ribbing. Sew pocketbands and pocket linings in place. Sew frontbands in place. Starting at front edge, sew bound-off edge of collar to neck edge. Finish buttonholes. Sew on buttons.

STYLE NO. 8004-516

(shown on opposite pg.)

These directions are for small size (32-34).
Changes for medium size (36-38), large size
(40-42) and extra large size (44-46) are in
parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)
— 16(17-18-20)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting
needles Nos. 4 and 7 (3.25 mm and 4.50 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 4
(3.25 mm)

1 BERNAT-Aero cable stitch needle

GAUGE

11 sts = 2 inches 13 rows = 2 inches

NOTE: The abbreviations used in the following
directions are preceded by the explanation the
first time they appear.

PATTERN STITCH FOR BACK AND FRONT

Row 1: K 7(11-13-17), (p 2, k 2) twice, p 2, k 1
(2-3-4), (p 3 tog; k, p, k in next st) twice, k
1(1-2-2), p 1, k 1(1-2-2), (p 2, k 2) 8 times, p 2,
k 1(1-2-2), p 1, k 1(1-2-2), (p 3 tog; k, p, k in
next st) twice, k 1(2-3-4), (p 2, k 2) twice, p 2, k
7(11-13-17).

Row 2 (right side): P 1, (k 1, p 1) 2(4-5-7)
times, (p 2, k 2) 3 times, p 10(11-13-14), k 1, p
1(1-2-2), (k 2, p 2) 8 times, k 2, p 1(1-2-2), k 1, p
10(11-13-14), (k 2, p 2) 3 times, p 1, (k 1, p 1)
2(4-5-7) times.

Row 3: K 7(11-13-17), (p 2, k 2) twice, p 2, k
1(2-3-4), (k, p, k all in next st; p 3 tog) twice, k
1(1-2-2), p 1, k 1(1-2-2), (p 2, k 2) 8 times, p 2,
k 1(1-2-2), p 1, k 1(1-2-2), (k, p, k all in next st;
p 3 tog) twice, k 1(2-3-4), (p 2, k 2) twice, p 2, k
7(11-13-17).

Row 4: Repeat Row 2.

Row 5: Repeat Row 1.

Row 6: P 1, (k 1, p 1) 2(4-5-7) times, p 2; sl
next 4 sts onto cable needle and hold in
FRONT of work, k next 2 sts, then sl 2 p sts
from cable needle back to left-hand needle and
p these 2 sts, k the remaining 2 sts on cable
needle (FRONT CABLE); p 2, k 2, p 10(11-13-
14), k 1, p 1(1-2-2), work FRONT CABLE on
next 6 sts, p 2, k 2, p 2) twice, work FRONT
CABLE on next 6 sts, p 2, k 2, p 1(1-2-2), k 1,
p 10(11-13-14), work FRONT CABLE on next 6
sts, p 2, k 2, p 3, (k 1, p 1) 2(4-5-7) times.

Rows 7 and 11: Repeat Row 3.

Rows 8 and 10: Repeat Row 2.

Row 9: Repeat Row 1.

Row 12: P 1, (k 1, p 1) 2(4-5-7) times, p 2, k 2,
p 2, work FRONT CABLE on next 6 sts, p

10(11-13-14), k 1, p 1(1-2-2), (k 2, p 2) twice; sl
next 4 sts onto cable needle and hold in BACK
of work, k 2, then sl the 2 p sts from cable nee-
dle back to left-hand needle and p these 2 sts,
k the 2 sts from cable needle (BACK CABLE);
p 2, k 2, p 2, work BACK CABLE on next 6 sts;
(p 2, k 2) twice, p 1(1-2-2), k 1, p 10(11-13-14),
k 2, p 2, work FRONT CABLE on next 6 sts, p
3, (k 1, p 1) 2(4-5-7) times.

Row 13: Repeat Row 1.

Rows 14 and 16: Repeat Row 2.

Row 15: Repeat Row 3.

Row 17: Repeat Row 1.

Row 18: P 1, (k 1, p 1) 2(4-5-7) times, p 2,
work FRONT CABLE on next 6 sts, p 2, k 2, p
10(11-13-14), k 1, p 1(1-2-2), k 2, p 2, (work
BACK CABLE on next 6 sts, p 2, k 2, p 2)
twice, work BACK CABLE on next 6 sts, p
1(1-2-2), k 1, p 10(11-13-14), work FRONT
CABLE on next 6 sts, p 2, k 2, p 3, (k 1, p 1)
2(4-5-7) times.

Row 19: Repeat Row 3.

Rows 20 and 22: Repeat Row 2.

Row 21: Repeat Row 1.

Row 23: Repeat Row 3.

Row 24: P 1, (k 1, p 1) 2(4-5-7) times, p 2, k 2,
p 2, work FRONT CABLE on next 6 sts, p
10(11-13-14), k 1, p 1(1-2-2), (work FRONT
CABLE on next 6 sts, p 2, k 2, p 2) twice, work
FRONT CABLE on next 6 sts, p 2, k 2, p
1(1-2-2), k 1, p 10(11-13-14), k 2, p 2, work
FRONT CABLE on next 6 sts, p 3, (k 1, p 1)
2(4-5-7) times.

Row 25: Repeat Row 1.

Rows 26 and 28: Repeat Row 2.

Row 27: Repeat Row 3.

Row 29: Repeat Row 1.

Row 30: P 1, (k 1, p 1) 2(4-5-7) times, p 2,
work FRONT CABLE on next 6 sts, p 2, k 2, p
10(11-13-14), k 1, p 1(1-2-2), k 2, (p 2, k 2, p 2,
work BACK CABLE on next 6 sts) twice, (p 2,
k 2) twice, p 1(1-2-2), k 1, p 10(11-13-14), work
FRONT CABLE on next 6 sts, p 2, k 2, p 3,
(k 1, p 1) 2(4-5-7) times.

Row 31: Repeat Row 3.

Rows 32 and 34: Repeat Row 2.

Row 33: Repeat Row 1.

Row 35: Repeat Row 3.

Row 36: P 1, (k 1, p 1) 2(4-5-7) times, p 2, k 2,
p 2, work FRONT CABLE on next 6 sts, p
10(11-13-14), k 1, p 1(1-2-2), k 2, p 2, (work
BACK CABLE on next 6 sts, p 2, k 2, p 2)
twice, work BACK CABLE on next 6 sts, p
1(1-2-2), k 1, p 10(11-13-14), k 2, p 2, work
FRONT CABLE on next 6 sts, p 3, (k 1, p 1)
2(4-5-7) times.

Repeat these 36 rows for pattern stitch for back
and front.

(cont. on pg. 12)



8004-516

8004-516 (cont. from pg. 10)

NOTE: When working k 1, p 1 in ribbing, always k in BACK of each k st.

BACK: Using smaller straight needles, cast on 92(102-112-122) sts. K 1, p 1 in ribbing for 3(3-3½-3½) inches. Change to larger needles and work even in pattern st until piece measures 15½(15½-16-16) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 2(2-3-4) sts. **Row 3:** K 2, k 2 tog, work in pattern as established to last 4 sts, sl 1, k 1, pssso, k 2. **Row 4:** K 3, work in pattern as established to last 3 sts, k 3. Repeat the last 2 rows 23(26-27-27) times more, ending with Row 4 — 40(44-50-58) sts. Then repeat Row 3 ONLY 6(6-8-10) times. Sl remaining 28(32-34-38) sts onto a holder.

FRONT: Work to correspond to back until 50 (54-58-64) sts remain, ending with a right side row. **SHAPE NECK:** K 3, work next 16(16-17-18) sts, sl centre 12(16-18-22) sts onto a holder, join another ball of yarn and work to last 3 sts, k 3. Working on both sides at once, continue to dec 1 st at arm edge in same manner as before every other row 5(5-4-3) times more then EVERY ROW 6(6-8-10) times, and AT THE SAME TIME, at each neck edge dec 1 st every other row 5 times then EVERY ROW 3 times. Fasten off.

PATTERN STITCH FOR SLEEVES

Row 1: K 3(3-4-4), * (p 2, k 2) 3 times, (p 3 tog; k, p, k in next st) twice, k 2 *, repeat between **s once, (p 2, k 2) twice, p 2, k 3(3-4-4).

Row 2 (right side): K 1, p 2(2-3-3), * (k 2, p 2) 3 times, p 10 *, repeat between **s once, (k 2, p 2) twice, k 2, p 2(2-3-3), k 1.

Row 3: K 3(3-4-4), * (p 2, k 2) 3 times, (k, p, k in next st; p 3 tog) twice, k 2 *, repeat between **s once, (p 2, k 2) twice, p 2, k 3(3-4-4).

Row 4: Repeat Row 2.

Row 5: Repeat Row 1.

Row 6: K 1, p 2(2-3-3), * work FRONT CABLE on next 6 sts, p 2, k 2, p 12 *, repeat between **s once, work FRONT CABLE on next 6 sts, p 2, k 2, p 2(2-3-3), k 1.

Rows 7 and 11: Repeat Row 3.

Rows 8 and 10: Repeat Row 2.

Row 9: Repeat Row 1.

Row 12: K 1, p 2(2-3-3), * k 2, p 2, work FRONT CABLE on next 6 sts, p 12 *, repeat between **s once, k 2, p 2, work FRONT CABLE on next 6 sts, p 2(2-3-3), k 1.

Rows 13 and 17: Repeat Row 1.

Rows 14 and 16: Repeat Row 2.

Row 15: Repeat Row 3.

Row 18: K 1, p 2(2-3-3), * work FRONT CABLE on next 6 sts, p 2, k 2, p 12 *, repeat between **s once, work FRONT CABLE on next 6 sts, p 2, k 2, p 2(2-3-3), k 1.

Rows 19 and 23: Repeat Row 3.

Rows 20 and 22: Repeat Row 2.

Row 21: Repeat Row 1.

Row 24: K 1, p 2(2-3-3), * k 2, p 2, work FRONT CABLE on next 6 sts, p 12 *, repeat between **s once, k 2, p 2, work FRONT CABLE on next 6 sts, p 2(2-3-3), k 1.

Rows 25 and 29: Repeat Row 1.

Rows 26 and 28: Repeat Row 2.

Row 27: Repeat Row 3.

Row 30: K 1, p 2(2-3-3), * work FRONT CABLE on next 6 sts, p 2, k 2, p 12 *, repeat between **s once, work FRONT CABLE on next 6 sts, p 2, k 2, p 2(2-3-3), k 1.

Rows 31 and 35: Repeat Row 3.

Rows 32 and 34: Repeat Row 2.

Row 33: Repeat Row 1.

Row 36: K 1, p 2(2-3-3), * k 2, p 2, work FRONT CABLE on next 6 sts, p 12 *, repeat between **s once, k 2, p 2, work FRONT CABLE on next 6 sts, p 2(2-3-3), k 1. Repeat these 36 rows for pattern stitch for sleeves.

SLEEVES: Using smaller straight needles, cast on 50(50-52-52) sts. K 1, p 1 in ribbing for 3(3-3½-3½) inches. Change to larger needles and k the next row, inc at even intervals to 60(60-62-62) sts. Work even in pattern st for sleeves for 2 inches. On the next row inc 1 st each end of needle and repeat this inc every 2(1-1¼) inches 5(8-11-14) times more, forming new patterns as sts are inc. Work even in pattern as established on 72(78-86-92) sts until piece measures 18(18½-19-19½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2(2-3-4) sts. Dec in same manner as on back. Sl remaining 8 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, using dp needles, pick up and k 90(94-98-106) sts around neck edge, including sts from holders. K 1, p 1 in ribbing for 3 inches. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



STYLE NO. 8000-516

(shown on back cover)

These directions are for small size (32-34). Changes for medium size (36-38), large size (40-42) and extra large size (44-46) are in parentheses. For men's sizes advance one step. Example: Women's medium size (36-38) is men's small size (36-38).

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls) — 17(18-19-21)
OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 pair each BERNAT-Aero straight knitting needles Nos. 3 and 6 (3.00 mm and 4.00 mm)
OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 set BERNAT-Aero dp needles No. 3 (3.00 mm)
1 BERNAT-Aero cable stitch needle

GAUGE: 11 sts = 2 inches 7 rows = 1 inch

NOTE 1: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

NOTE 2: Always k in BACK of each k st between LEFT and RIGHT TWISTS.

PATTERN: SEE BACK AND FRONT

Row 1: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 5; sl next st onto cable needle and hold in BACK of work, k next 2 sts, p st from cable needle (RIGHT TWIST); k 2, p 5, k 8 *. p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 2: K 6(9-13-16), * p 8, k 5, p 5, k 5, p 8 *. k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 3: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * K 8, p 4, work RIGHT TWIST on next 3 sts, k in BACK of next st; sl next 2 sts onto cable needle and hold in FRONT of work, p next st, k 2 sts from cable needle (LEFT TWIST); p 4, k 8 *. p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 4: K 6(9-13-16), * p 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4, p 8 *. k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 5: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 4, k 2, p 1, k 1, p 1, k 2, p 4, k 8, * p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 6: K 6(9-13-16), * p 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4, p 8 *. k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 7: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1; * sl next 2 sts onto cable needle and hold in FRONT of work, k next 2 sts, k 2 sts from cable needle (FRONT CABLE); sl next 2 sts onto cable needle and hold in BACK of work, k next 2 sts, k 2 sts from cable needle (BACK CABLE); p 3, work RIGHT TWIST on next 3 sts, p 1, k 1, p 1, work LEFT TWIST on next 3 sts, p 3, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, * p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 8: K 6(9-13-16), * p 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3, p 8 *. k 1, p 1, k 1 (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 9: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 3, k 3, p 1, k 1, p 1, k 3, p 3, k 8 *. p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 10: K 6(9-13-16), * p 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3, p 8 *. k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 11: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 2, work RIGHT

(cont. on pg. 14)

TWIST on next 3 sts, (k 1, p 1) twice, k 1, work LEFT TWIST on next 3 sts, p 2, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 12: K 6(9-13-16), * p 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 13: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 2, k 2, p 1, (k 1, p 1) 3 times, k 2, p 2, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 14: K 6(9-13-16), * p 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 15: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 1, work RIGHT TWIST on next 3 sts, (p 1, k 1) 3 times, p 1, work LEFT TWIST on next 3 sts, p 1, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 16: K 6(9-13-16), * p 8, k 1, p 3, (k 1, p 1) 3 times, k 1, p 3, k 1, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 17: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 1, k 3, (p 1, k 1) 3 times, p 1, k 3, p 1, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 18: K 6(9-13-16), * p 8, k 1, p 3, (k 1, p 1) 3 times, k 1, p 3, k 1, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 19: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, work RIGHT TWIST on next 3 sts, (k 1, p 1) 4 times, k 1, work LEFT TWIST on next 3 sts, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 20: K 6(9-13-16), * p 10, (k 1, p 1) 5 times, k 1, p 10 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 21: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, work LEFT TWIST on next 3 sts, (k 1, p 1) 4 times, k 1, work RIGHT TWIST on next 3 sts, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 22: K 6(9-13-16), * p 8, k 1, p 3, (k 1, p 1)

3 times, k 1, p 3, k 1, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 23: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 1, k 3, (p 1, k 1) 3 times, p 1, k 3, p 1, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 24: K 6(9-13-16), * p 8, k 1, p 3, (k 1, p 1) 3 times, k 1, p 3, k 1, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 25: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 1, work LEFT TWIST on next 3 sts, (p 1, k 1) 3 times, p 1, work RIGHT TWIST on next 3 sts, p 1, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 26: K 6(9-13-16), * p 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 27: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 2, k 2, (p 1, k 1) 3 times, p 1, k 2, p 2, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 28: K 6(9-13-16), * p 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 29: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 2, work LEFT TWIST on next 3 sts, k 1, (p 1, k 1) twice, work RIGHT TWIST on next 3 sts, p 2, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 30: K 6(9-13-16), * p 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 31: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 3, k 3, (p 1, k 1) twice, k 2, p 3, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 32: K 6(9-13-16), * p 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *s once, k 6(9-13-16).

Row 33: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 3, work LEFT TWIST on next 3 sts, p 1, k 1, p 1, work RIGHT TWIST on next 3 sts, p 3, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *s once, p 1, (k 1, p 1)

(cont. on pg. 15)

2(3-6-7) times, k 1(2-0-1).

Row 34: K 6(9-13-16), * p 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 35: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 4, k 2, p 1, k 1, p 1, k 2, p 4, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 36: K 6(9-13-16), * p 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 37: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * k 8, p 4, work LEFT TWIST on next 3 sts, k 1, work RIGHT TWIST on next 3 sts, p 4, k 8 *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 38: K 6(9-13-16), * p 8, k 5, p 5, k 5, p 8 *, k 1, p 1, k 1, (p 3 tog; k, p, k all in next st) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Row 39: K 1(2-0-1), (p 1, k 1) 2(3-6-7) times, p 1, * work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 5; sl next 2 sts onto cable needle and hold in FRONT of work, p 1, k 2, k 2 sts from cable needle; p 5, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts *, p 1, k 1, p 14(18-22-26), k 1, p 1, repeat between *'s once, p 1, (k 1, p 1) 2(3-6-7) times, k 1(2-0-1).

Row 40: K 6(9-13-16), * p 8, k 5, p 4, k 6, p 8 *, k 1, p 1, k 1, (k, p, k all in next st; p 3 tog) 3(4-5-6) times, k 1, p 1, k 1, repeat between *'s once, k 6(9-13-16).

Repeat these 40 rows for pattern stitch for back and front.

NOTE: When working k 1, p 1 ribbing, always k in BACK of each k st.

BACK: Using smaller straight needles, cast on 92(102-114-124) sts. K 1, p 1 in ribbing for 3(3-3½-3½) inches. Change to larger needles and work even in pattern st for back until piece measures 15(15½-15½) inches. SHAPE

ARMHOLES: At the beg of each of the next 2 rows bind off 3(4-6-7) sts. Dec 1 st each end of needle every other row 2(3-4-5) times. Work even in pattern as established on 82(88-94-100) sts until armholes measure 8(8½-9-9½) inches. SHAPE **SHOULDERS:** At the beg of each of the next 4 rows bind off 9(10-10-11) sts. At the beg of each of the next 2 rows bind off 9(9-11-11) sts. Sl remaining 28(30-32-34) sts onto a holder.

FRONT: Work to correspond to back until armholes measure 6(6½-7-7½) inches — 82 (88-94-100) sts. SHAPE **NECK:** Work 32(34-36-38) sts, sl centre 18(20-22-24) sts onto a holder, join another ball of yarn and work last 32(34-36-38) sts. Working on both sides at once, at each neck edge dec 1 st every other row 5 times. Work even on 27(29-31-33) sts of each side until armholes measure 8(8½-9-9½) inches. SHAPE **SHOULDERS:** At each arm edge bind off 9(10-10-11) sts twice and 9(9-11-11) sts once.

PATTERN STITCH FOR SLEEVES: To be worked on 54 sts as designated.

Row 1: (K 8, p 5, work RIGHT TWIST on next 3 sts, k 2, p 5) twice, k 8.

Row 2: (P 8, k 5, p 5, k 5) twice, p 8.

Row 3: (K 8, p 4, work RIGHT TWIST on next 3 sts, k in BACK of next st, work LEFT TWIST on next 3 sts, p 4) twice, k 8.

Row 4: (P 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4) twice, p 8.

Row 5: (K 8, p 4, k 2, p 1, k 1, p 1, k 2, p 4) twice, k 8.

Row 6: Repeat Row 4.

Row 7: (Work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 3, work RIGHT TWIST on next 3 sts, p 1, k 1, p 1, work LEFT TWIST on next 3 sts, p 3) twice, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts.

Row 8: (P 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3) twice, p 8.

Row 9: (K 8, p 3, k 3, p 1, k 1, p 1, k 3, p 3) twice, k 8.

Row 10: Repeat Row 8.

Row 11: [Work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 2, work RIGHT TWIST on next 3 sts, (k 1, p 1) twice, k 1, work LEFT TWIST on next 3 sts, p 2] twice, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts.

Row 12: [P 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2] twice, k 8.

Row 13: [K 8, p 2, k 2, p 1, (k 1, p 1) 3 times, k 2, p 2] twice, k 8.

Row 14: Repeat Row 12.

Row 15: [Work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 1, work RIGHT TWIST on next sts, (p 1, k 1) 3 times, p 1, work LEFT TWIST on next 3 sts, p 1] twice, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts.

Row 16: [P 8, k 1, p 3, (k 1, p 1) 3 times, k 1, p 3, k 1] twice, p 8.

Row 17: [K 8, p 1, k 3, (p 1, k 1) 3 times, p 1, k 3, p 1] twice, k 8.

Row 18: Repeat Row 16.

(cont. on pg. 19)

(shown on opposite pg.)

These directions are for small size (32-34). Changes for medium size (36-38), large size (40-42) and extra large size (44-46) are in parentheses. For men's sizes, advance one step. Example: Women's medium (36-38) is men's small (36-38).

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)

— 14(16-17-19)

OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting needles Nos. 4 and 8 (3.25 mm and 5.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 4 (3.25 mm)

1 BERNAT-Aero cable stitch needle

GAUGE

11 sts = 2 inches

13 rows = 2 inches

NOTE: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

PATTERN STITCH: To be worked on 32 sts as designated.

Row 1: P 6; sl next 2 sts onto cable needle and hold in FRONT of work, k 2, k 2 sts from cable needle (FC 4); (p 1, k 1) 6 times, FC 4, p 6.

Row 2: K 6, p 4, (p 1, k 1) 6 times, p 4, k 6.
Row 3: P 5; sl next st onto cable needle and hold in BACK of work, k 2, p st from cable needle (PRC 3); sl next 2 sts onto cable needle and hold in FRONT of work, k 1, k 2 sts from cable needle (KLC 3); (p 1, k 1) 5 times, PRC 3, KLC 3, p 5.

Row 4: K 5, p 3, k 1, p 2, (p 1, k 1) 5 times, p 3, k 1, p 2, k 5.

Row 5: P 4, PRC 3, k 1, p 1, KLC 3, (p 1, k 1) 4 times, PRC 3, k 1, p 1, KLC 3, p 4.

Row 6: K 4, p 2, (p 1, k 1) twice, p 2, (p 1, k 1) 4 times, p 2, (p 1, k 1) twice, p 2, k 4.

Row 7: P 3, PRC 3, (k 1, p 1) twice, KLC 3, (p 1, k 1) 3 times, PRC 3, (k 1, p 1) twice, KLC 3, p 3.

Row 8: K 3, p 2, [(p 1, k 1) 3 times, p 2] 3 times, k 3.

Row 9: P 2, PRC 3, (k 1, p 1) 3 times, KLC 3, (p 1, k 1) twice, PRC 3, (k 1, p 1) 3 times, KLC 3, p 2.

Row 10: K 2, p 2, (p 1, k 1) 4 times, p 2, (p 1, k 1) twice, p 2, (p 1, k 1) 4 times, p 2, k 2.

Row 11: P 1, PRC 3, (k 1, p 1) 4 times, KLC 3, p 1, k 1, PRC 3, (k 1, p 1) 4 times, KLC 3, p 1.

Row 12: K 1, p 2, (p 1, k 1) 5 times, p 3, k 1, p 2, (p 1, k 1) 5 times, p 2, k 1.

Row 13: [PRC 3, (k 1, p 1) 5 times, KLC 3] twice.

Row 14: P 2, (p 1, k 1) 6 times, p 4, (p 1, k 1) 6 times, p 2.

Row 15: K 2, (k 1, p 1) 6 times, FC 4, (k 1, p 1) 6 times, k 2.

Row 16: P 2, (k 1, p 1) 6 times, p 4, (k 1, p 1) 6 times, p 2.

Row 17: Sl next 2 sts onto cable needle and hold in FRONT of work, p 1, k 2 sts from cable needle (PLC 3); (k 1, p 1) 5 times; sl next st onto cable needle and hold in BACK of work, k 2, k st from cable needle (KRC 3); PLC 3, (k 1, p 1) 5 times, PRC 3.

Row 18: K 1, p 2, (k 1, p 1) 5 times, p 2, k 1, p 3, (k 1, p 1) 5 times, p 2, k 1.

Row 19: P 1, PLC 3, (k 1, p 1) 4 times, KRC 3, p 1, k 1, PLC 3, (k 1, p 1) 4 times, PRC 3, p 1.

Row 20: K 2, p 2, (k 1, p 1) 4 times, p 2, (k 1, p 1) twice, p 2, (k 1, p 1) 4 times, p 2, k 2.

Row 21: P 2, PLC 3, (k 1, p 1) 3 times, KRC 3, (p 1, k 1) twice, PLC 3, (k 1, p 1) 3 times, PRC 3, p 2.

Row 22: K 3, p 2, [(k 1, p 1) 3 times, p 2] 3 times, k 3.

Row 23: P 3, PLC 3, (k 1, p 1) twice, KRC 3, (p 1, k 1) 3 times, PLC 3, (k 1, p 1) twice, PRC 3, p 3.

Row 24: K 4, p 2, (k 1, p 1) twice, p 2, (k 1, p 1) 4 times, p 2, (k 1, p 1) twice, p 2, k 4.

Row 25: P 4, PLC 3, k 1, p 1, KRC 3, (p 1, k 1) 4 times, PLC 3, k 1, p 1, PRC 3, p 4.

Row 26: K 5, p 2, k 1, p 3, (k 1, p 1) 5 times, p 2, k 1, p 3, k 5.

Row 27: P 5, PLC 3, KRC 3, **P 1, K 1** 5 times, PLC 3, PRC 3, p 5.

Row 28: K 6, p 4, (k 1, p 1) 6 times, p 4, k 6. Repeat these 28 rows for pattern stitch.

BACK: Using smaller straight needles, cast on 87(99-103-115) sts. **Row 1:** P 1, * k in BACK of next st (K1B), p 1, repeat from * across row.

Row 2: K 1, * p 1, k 1, repeat from * across row. Repeat these 2 rows for 1½(1½-3½-3½) inches, ending with Row 1. Change to larger needles and p, inc 7(7-11-11) sts evenly spaced across row - 94(106-114-126) sts. Then work as follows: **Row 1:** (K 1, p 1) 3(3-5-5) times, k 1, * p 2, [sl next st onto cable needle and hold in FRONT of work, k 2, k st from cable needle (LT 3); sl next 2 sts onto cable needle and hold in BACK of work, k 1, k 2 sts from cable needle (RT 3)] 2(3-3-4) times, LT 3, p 2, LT 3, p 2, put a marker on needle, work Row 1 of pattern st on next 32 sts, put a marker on needle, p 2, LT 3, repeat between **s once, k 1, (p 1, k 1) 3(3-5-5) times. **Row 2:** (P 1, k 1) 3(3-5-5) times, p 1, * k 2, p 15(21-21-27), k 2, p 3, k 2, work Row 2 of pattern st on next 32 sts, k 2, p 3, repeat between **s once, p 1,

(cont. on pg. 18)



8003-516



5220-516



5221-516

(k 1, p 1) 3(3-5-5) times. **Row 3:** (P 1, k 1) 3(3-5-5) times, p 1, * p 2, k 15(21-21-27), p 2 *, LT 3, p 2, work Row 3 of pattern st on next 32 sts, p 2, LT 3, repeat between *'s once, p 1, (k 1, p 1) 3(3-5-5) times. **Row 4:** (K 1, p 1) 3(3-5-5) times, k 1, * k 2, p 15(21-21-27), k 2 *, p 3, k 2, work Row 4 of pattern st on next 32 sts, k 2, p 3, repeat between *'s once, k 1, (p 1, k 1) 3(3-5-5) times. **Row 5:** (K 1, p 1) 3(3-5-5) times, k 1, * p 2, (RT 3, LT 3) 2(3-4) times, RT 3, p 2 *, LT 3, p 2, work Row 5 of pattern st on next 32 sts, p 2, LT 3, repeat between *'s once, k 1, (p 1, k 1) 3(3-5-5) times. **Row 6:** (P 1, k 1) 3(3-5-5) times, p 1, * k 2, p 15(21-21-27), k 2 *, p 3, k 2, work Row 6 of pattern st on next 32 sts, k 2, p 3, repeat between *'s once, p 1, (k 1, p 1) 3(3-5-5) times. **Row 7:** (P 1, k 1) 3(3-5-5) times, p 1, * p 2, k 15(21-21-27), p 2 *, LT 3, p 2, work Row 7 of pattern st on next 32 sts, p 2, LT 3, repeat between *'s once, p 1, (k 1, p 1) 3(3-5-5) times. **Row 8:** (K 1, p 1) 3(3-5-5) times, k 1, * k 2, p 15(21-21-27), k 2 *, p 3, k 2, work Row 8 of pattern st on next 32 sts, k 2, p 3, repeat between *'s once, k 1, (p 1, k 1) 3(3-5-5) times. Continue in this manner to keep 32 sts between markers in pattern st and remaining sts in pattern as established until piece measures 16(16-17½-17½) inches, ending with a wrong side row. **SHAPE RAGLAN ARM-HOLES:** At the beg of each of the next 2 rows bind off 2(3-3-4) sts. Working in pattern as established, dec 1 st each end of needle every other row 28(27-25-25) times, ending with a wrong side row - 34(46-58-68) sts. **ON MEDIUM, LARGE AND EXTRA LARGE SIZES ONLY:** Dec 2 sts each end of next row and repeat this dec every other row (2-5-7) times more. **ON ALL SIZES:** Sl remaining 34(34-34-36) sts onto a holder.

FRONT: Work to correspond to back until 46(54-60-64) sts remain, ending with a right side row. **SHAPE NECK:** Work 14(17-20-21) sts, sl centre 20(20-20-22) sts onto a holder, join another ball of yarn and work last 14(17-20-21) sts. Working on both sides at once, continue to dec 1(1-1-2) sts at each arm edge every other row 7(4-1-7) times more, and AT THE SAME TIME, at each neck edge dec 1 st every other row 5(4-1-5) times. **ON MEDIUM AND LARGE SIZES ONLY:** Dec 2 sts at each arm edge every other row 3(6) times, and AT THE SAME TIME, dec 1 st at each neck edge every other row 1(4) times. **ON ALL SIZES:** Bind off remaining 2 sts of each side.

PATTERN STITCH FOR SLEEVES: To be worked on 51(51-63-63) sts as designated.

Row 1: * (LT 3, RT 3) 2(2-3-3) times, LT 3 *, p 2, LT 3, p 2, (k 1, p 1) 3 times, k 1, p 2, LT 3, p 2, repeat between *'s once.
Row 2: P 15(15-21-21), k 2, p 3, k 2, (p 1, k 1) 3 times, p 1, k 2, p 3, k 2, p 15(15-21-21).
Row 3: K 15(15-21-21), p 2, LT 3, p 2, (p 1, k 1) 3 times, p 3, LT 3, p 2, k 15(15-21-21).
Row 4: P 15(15-21-21), k 2, p 3, k 2, (k 1, p 1) 3 times, k 3, p 3, k 2, p 15(15-21-21).
Row 5: * (RT 3, LT 3) 2(2-3-3) times, RT 3 *, p 2, LT 3, p 2, (k 1, p 1) 3 times, k 1, p 2, LT 3, p 2, repeat between *'s once.
Row 6: Repeat Row 2.
Row 7: Repeat Row 3.
Row 8: Repeat Row 4.
 Repeat these 8 rows for pattern stitch for sleeves.

SLEEVES: Using smaller straight needles, cast on 41(41-49-49) sts. Repeat Rows 1 and 2 of back ribbing 10 times. Then repeat Row 1. Change to larger needles and p, inc at even intervals to 55(55-65-65) sts. Work as follows:
Row 1: K 2(2-1-1), put a marker on needle, work Row 1 of pattern st on next 51(51-63-63) sts, put a marker on needle, k 2(2-1-1). **Row 2:** P 2(2-1-1), work Row 2 of pattern st to next marker, p 2(2-1-1). Keeping 2(2-1-1) sts each end of needle in stockinette st, work remaining sts in pattern as established for 7 rows more. On the next row inc 1 st each end of needle and repeat this inc every 6th row 10(13-11-14) times more, working inc sts in stockinette st and remaining sts in pattern as established. Work even in pattern as established on 77(83-89-95) sts until piece measures 18(18½-19-19½) inches, ending with a wrong side row. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off 2(3-3-4) sts. Dec 1 st each end of needle every other row 24(26-25-27) times. Then dec 2 sts each end of needle every other row 4(4-6-6) times. Sl remaining 9 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **NECKBAND:** With right side facing you, using dp needles, pick up and k 96(96-100-100) sts around neck edge, including sts from holders. **Round 1:** * P 1, k 1 B, repeat from * around. **Round 2:** * P 1, k 1, repeat from * around. Repeat these 2 rounds 8 times more. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



8000-516 (cont. from pg. 15)

Row 19: [Work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, work RIGHT TWIST on next 3 sts, (k 1, p 1) 4 times, k 1, work LEFT TWIST on next 3 sts] twice, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts.

Row 20: [P 10, (k 1, p 1) 5 times, k 1, p 2] twice, p 8.

Row 21: [K 8, work LEFT TWIST on next 3 sts, (k 1, p 1) 4 times, k 1, work RIGHT TWIST on next 3 sts] twice, k 8.

Row 22: [P 8, k 1, p 3, (k 1, p 1) 3 times, k 1, p 3, k 1] twice, p 8.

Row 23: [K 8, p 1, k 3, (p 1, k 1) 3 times, p 1, k 3, p 1] twice, k 8.

Row 24: Repeat Row 22.

Row 25: [K 8, p 1, work LEFT TWIST on next 3 sts, (p 1, k 1) 3 times, p 1, work RIGHT TWIST on next 3 sts, p 1] twice, k 8.

Row 26: [P 8, k 2, p 2, (k 1, p 1) 3 times, k 1, p 2, k 2] twice, p 8.

Row 27: [Work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 2, k 2, (p 1, k 1) 3 times, p 1, k 2, p 2] twice, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts.

Row 28: Repeat Row 26.

Row 29: [K 8, p 2, work LEFT TWIST on next 3 sts, k 1, (p 1, k 1) twice, work RIGHT TWIST on next 3 sts, p 2] twice, k 8.

Row 30: (P 8, k 3, p 3, k 1, p 1, k 1, p 3, k 3) twice, p 8.

Row 31: [Work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, p 3, k 3, p 1, k 1, p 1, k 3, p 3] twice, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts.

Row 32: Repeat Row 30.

Row 33: [K 8, p 3, work LEFT TWIST on next 3 sts, p 1, k 1, p 1, work RIGHT TWIST on next 3 sts, p 3] twice, k 8.

Row 34: (P 8, k 4, p 2, k 1, p 1, k 1, p 2, k 4) twice, p 8.

Row 35: [Work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 4, k 2, p 1, k 1, p 1, k 2, p 4] twice, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts.

Row 36: Repeat Row 34.

Row 37: [K 8, p 4, work LEFT TWIST on next 3 sts, k 1, work RIGHT TWIST on next 3 sts, p 4] twice, k 8.

Row 38: (P 8, k 5, p 5, k 5) twice, p 8.

Row 39: [Work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, p 5; sl next 2 sts onto cable needle and hold in FRONT of work, p 1, k 2, k 2 sts from cable needle; p 5] twice, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts.

Row 40: (P 8, k 5, p 4, k 6) twice, p 8. Repeat these 40 rows for pattern stitch for sleeves.

SLEEVES: Using smaller straight needles, cast on 48(48-50-50) sts. K 1, p 1 in ribbing for 3(3-3½-3½) inches. Change to larger needles and p the next row, inc at even intervals to 58(58-62-62) sts. **Row 1:** (K 1, p 1) 1(1-2-2) times, put a marker on needle, work Row 1 of pattern st for sleeves on next 54 sts, put a marker on needle, (p 1, k 1) 1(1-2-2) times. **Row 2:** K 2(2-4-4), work Row 2 of pattern st for sleeves to next marker, k to end of row. Keeping 54 sts between markers in pattern st for sleeves and remaining sts in pattern as established, work even for 2 inches. On the next row inc 1 st each end of needle and repeat this inc every 1(1¼-¾) inch 9(12-13-16) times more, working inc sts in pattern as established. Work even in pattern as established on 78(84-90-96) sts until piece measures 18(18½-19-19½) inches or desired length to underarm. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 3(4-6-7) sts. Dec 1 st each end of needle every other row for 5(5½-6-6½) inches. At the beg of each of the next 6 rows bind off 4 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **NECKBAND:** With right side facing you, using dp needles, pick up and k 80(84-88-90) sts around neck edge, including sts from holders. K 1, p 1 in ribbing for 3 inches. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



STYLE NO. 5220-516

(shown on pg. 17)

These directions are for children's small size (4-6). Changes for medium size (8-10) and large size (12-14) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)

— 11(12-12)

OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting needles Nos. 3 and 6 (3.00 mm and 4.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 BERNAT-Aero cable stitch needle

6 buttons

GAUGE: 13 sts = 2 inches 7 rows = 1 inch

NOTE 1: This cardigan can be made in either of two ways: with collar OR crew neck.

NOTE 2: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

PATTERN STITCH FOR BACK

Row 1: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 6(7-7); sl next st onto cable needle and hold in BACK of work, k next 2 sts, k st from cable needle (BACK TWIST); k 2, p 6(7-7), k 4, p 1, k 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 2: (P 1, k 1) 2(3-7) times, * k 1, p 4, k 6(7-7), p 2, k 1, p 2, k 6(7-7), p 4, k 1, * p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 3: (K 1, p 1) 2(3-7) times, * p 1: sl next 2 sts onto cable needle and hold in FRONT of work, k next 2 sts, k 2 sts from cable needle (FRONT CABLE); p 5(6-6), work BACK TWIST on next 3 sts, k 1; sl next 2 sts onto cable needle and hold in FRONT of work, k next st, k 2 sts from cable needle (FRONT TWIST); p 5(6-6), work FRONT CABLE on next 4 sts, p 1, * [work FRONT CABLE on next 4 sts; sl next 2 sts onto cable needle and hold in BACK of work, k next 2 sts, k 2 sts from cable needle (BACK CABLE)] 3 times, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 4: (K 1, p 1) 2(3-7) times, * k 1, p 4, k 5(6-6), p 2, k 1, p 1, k 1, p 2, k 5(6-6), p 4, k 1, * p 24, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 5: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 4(5-5), work BACK TWIST on next 3 sts, k 1, p 1, k 1, work FRONT TWIST on next 3 sts, p 4(5-5), k 4, p 1, * k 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 6: (P 1, k 1) 2(3-7) times, * k 1, p 4, k 4(5-5), p 2, (k 1, p 1) twice, k 1, p 2, k 4(5-5), p 4, k 1, * p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 7: (K 1, p 1) 2(3-7) times, * p 1, work FRONT CABLE on next 4 sts, p 3(4-4), work BACK TWIST on next 3 sts, (k 1, p 1) twice, k 1, work FRONT TWIST on next 3 sts, p 3(4-4), work FRONT CABLE on next 4 sts, p 1, * (work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts) 3 times, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 8: (K 1, p 1) 2(3-7) times, * k 1, p 4, k 3(4-4), p 2, (k 1, p 1) 3 times, k 1, p 2, k 3(4-4), p 4, k 1, * p 24, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 9: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 2(3-3), work BACK TWIST on next 3 sts, (k 1, p 1) 3 times, k 1, work FRONT TWIST on next 3 sts, p 2(3-3), k 4, p 1, * k 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 10: (P 1, k 1) 2(3-7) times, * k 1, p 4, k 2(3-3), p 2, (k 1, p 1) 4 times, k 1, p 2, k 2(3-3), p 4, k 1, * p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 11: (K 1, p 1) 2(3-7) times, * p 1, work FRONT CABLE on next 4 sts, p 1(2-2), work BACK TWIST on next 3 sts, (k 1, p 1) 4 times,

(cont. on pg. 21)

k 1, work FRONT TWIST on next 3 sts, p 1(2-2), work FRONT CABLE on next 4 sts, p 1 * (work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts) 3 times, repeat between *'s once, (P 1, k 1) 2(3-7) times.

Row 12: (K 1, p 1) 2(3-7) times, * k 1, p 4, k 1(2-2), p 2, (k 1, p 1) 5 times, k 1, p 2, k 1(2-2), p 4, k 1 *, p 24, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 13: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 1(2-2), work FRONT TWIST on next 3 sts, (p 1, k 1) 4 times, p 1, work BACK TWIST on next 3 sts, p 1(2-2), k 4, p 1 *, p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 14: Repeat Row 10.

Row 15: (K 1, p 1) 2(3-7) times, * p 1, work FRONT CABLE on next 4 sts, p 2(3-3), work FRONT TWIST on next 3 sts, (p 1, k 1) 3 times, p 1, work BACK TWIST on next 3 sts, p 2(3-3), work FRONT CABLE on next 4 sts, p 1 *, (work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts) 3 times, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 16: Repeat Row 8.

Row 17: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 3(4-4), work FRONT TWIST on next 3 sts, (p 1, k 1) twice, p 1, work BACK TWIST on next 3 sts, p 3(4-4), k 4, p 1 *, p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 18: Repeat Row 6.

Row 19: (K 1, p 1) 2(3-7) times, * p 1, work FRONT CABLE on next 4 sts, p 4(5-5), work FRONT TWIST on next 3 sts, p 1, k 1, p 1, work BACK TWIST on next 3 sts, p 4(5-5), work FRONT CABLE on next 4 sts, p 1 *, (work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts) 3 times, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 20: Repeat Row 4.

Row 21: (P 1, k 1) 2(3-7) times, * p 1, k 4, p 5(6-6), work FRONT TWIST on next 3 sts, p 1, work BACK TWIST on next 3 sts, p 5(6-6), k 4, p 1 *, p 24, repeat between *'s once, (k 1, p 1) 2(3-7) times.

Row 22: Repeat Row 2.

Row 23: (K 1, p 1) 2(3-7) times, * p 1, work FRONT CABLE on next 4 sts, p 6(7-7); sl next 2 sts onto cable needle and hold in FRONT of work, p 1, k 2, k 2 sts from cable needle; p 6(7-7), work FRONT CABLE on next 4 sts, p 1 *, (work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts) 3 times, repeat between *'s once, (p 1, k 1) 2(3-7) times.

Row 24: (K 1, p 1) 2(3-7) times, * k 1, p 4, k 6(7-7), p 4, k 7(8-8), p 4, k 1 *, p 24, repeat between *'s once, (p 1, k 1) 2(3-7) times. Repeat these 24 rows for pattern stitch for back.

NOTE: When working k 1, p 1 in ribbing, always k in BACK of each k st.

BACK: Using smaller needles, cast on 86(94-110) sts. K 1, p 1 in ribbing for 1½ inches. Change to larger needles and work even in pattern st for back until piece measures 9½(11¼-12½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(5-5) sts. **Row 3:** K 1, sl 1, k 1, pssso, work in pattern as established to last 3 sts, k 2 tog, k 1. **Row 4:** K 1, p 1, work in pattern as established to last 2 sts, p 1, k 1. Repeat the last 2 rows 10(12-12) times more — 58(58-74) sts. Then work as follows: **Row 1:** K 1, sl 1, k 2 tog, pssso, work to last 4 sts, k 3 tog, k 1. **Row 2:** Repeat Row 4. Repeat the last 2 rows 6(6-9) times more. Sl remaining 30(30-34) sts onto a holder.

NOTE: For boy's cardigan work right front first and work buttonholes in left front. For girl's cardigan work left front first and work buttonholes in right front. **BUTTONHOLE:** Starting at front edge, work 3 sts, bind off the next 3 sts, work to end of row. On the next row cast on 3 sts over those bound off previous row. Make 6 buttonholes, evenly spaced — the first to be made ½ inch above lower edge and the last to be made ½ inch below start of neck shaping for cardigan with COLLAR and for cardigan with CREW NECK, the last one to be made in neck-band.

PATTERN STITCH FOR RIGHT FRONT

Row 1: P 1, k 8, repeat between *'s of Row 1 of pattern st for back, (k 1, p 1) 2(3-6) times, k 1.

Row 2: K 1, (p 1, k 1) 2(3-6) times, repeat between *'s of Row 2 of pattern st, p 8, k 1.

Row 3: P 1, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, repeat between *'s of Row 3 of pattern st, (p 1, k 1) 2(3-6) times, p 1.

Row 4: P 1, (k 1, p 1) 2(3-6) times, repeat between *'s of Row 4 of pattern st, p 8, k 1.

Row 5: P 1, k 8, repeat between *'s of Row 5 of pattern st, (k 1, p 1) 2(3-6) times, k 1.

Row 6: K 1, (p 1, k 1) 2(3-6) times, repeat between *'s of Row 6 of pattern st, p 8, k 1.

Row 7: P 1, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, repeat between *'s of Row 7 of pattern st, (p 1, k 1) 2(3-6) times, p 1.

Row 8: P 1, (k 1, p 1) 2(3-6) times, repeat between *'s of Row 8 of pattern st, p 8, k 1.

Row 9: P 1, k 8, repeat between *'s of Row 9 of pattern st, (k 1, p 1) 2(3-6) times, k 1.

Row 10: K 1, (p 1, k 1) 2(3-6) times, repeat between *'s of Row 10 of pattern st, p 8, k 1.

Row 11: P 1, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, repeat between *'s of Row 11 of pattern st, (p 1, k 1) 2(3-6) times, p 1.

(cont. on pg. 22)

Row 12: P 1, (k 1, p 1) 2(3-6) times, repeat between *'s of Row 12 of pattern st, p 8, k 1.
Row 13: P 1, k 8, repeat between *'s of Row 13 of pattern st, (k 1, p 1) 2(3-6) times, k 1.
Row 14: Repeat Row 10.
Row 15: P 1, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, repeat between *'s of Row 15 of pattern st, (p 1, k 1) 2(3-6) times, p 1.
Row 16: Repeat Row 8.
Row 17: P 1, k 8, repeat between *'s of Row 17 of pattern st, (k 1, p 1) 2(3-6) times, k 1.
Row 18: Repeat Row 6.
Row 19: P 1, work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts, repeat between *'s of Row 19 of pattern st, (p 1, k 1) 2(3-6) times, p 1.
Row 20: Repeat Row 4.
Row 21: P 1, k 8, repeat between *'s of Row 21 of pattern st, (k 1, p 1) 2(3-6) times, k 1.
Row 22: Repeat Row 2.
Row 23: P 1, work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts, repeat between *'s of Row 23 of pattern st, (p 1, k 1) 2(3-6) times, p 1.
Row 24: P 1, (k 1, p 1) 2(3-6) times, repeat between *'s of Row 24 of pattern st, p 8, k 1. Repeat these 24 rows for pattern stitch for right front.

RIGHT FRONT: Using smaller needles, cast on 50(54-60) sts. K 1, p 1 in ribbing until piece measures 1½ inches. On the next row work 9 sts and sl these 9 sts onto a holder to be worked later for frontband. Change to larger needles and work Row 1 of pattern st for right front on 41(45-51) sts. Work even in pattern st until piece measures 9½(11¼-12¼) inches, ending with a right side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLE:** At the beg of the next row bind off 3(5-5) sts, work to end of row. **Row 2:** Work in pattern as established to last 3 sts, k 2 tog, k 1. **Row 3:** K 1, p 1, work in pattern as established to end of row. Repeat the last 2 rows 12(14-16) times more, ending at front edge — 25(25-29) sts. **SHAPE NECK:** At the beg of the next row bind off 7(7-9) sts, work to end of row. Then dec 1 st at same edge EVERY ROW 6 times and every other row twice, and AT THE SAME TIME, dec 2 sts at arm edge every other row 5(5-6) times. Fasten off. **FRONTBAND:** Sl 9 sts from holder onto smaller needle, join yarn at inner edge and work in ribbing as established until piece is same length as front to neck shaping, stretching slightly and ending at front edge. **FOR COLLAR:** At the beg of the next row bind off 4 sts, sl remaining 5 sts onto a holder. **FOR CREW NECK:** Sl 9 sts onto a holder.

LEFT FRONT AND LEFT FRONTBAND: Work to correspond to right front and right frontband, reversing placing of frontband and all shaping.

TO FINISH: Work as follows: / sts: **Row 1:** K 1, (p 1, k 1) 2(3-6) times, repeat between *'s of Row 1 of pattern st for back, k 8, p 1.
Row 2: K 1, p 8, repeat between *'s of Row 2 of pattern st for back, (k 1, p 1) 2(3-6) times, k 1. **TO DEC FOR FULL-FASHIONED RAGLAN ARMHOLE:** K 1, sl 1, k 1, pso, work to end of row.

PATTERN STITCH FOR SLEEVES: To be worked on 36 sts as designated.

Row 1: P 1, k 4, p 1, k 24, p 1, k 4, p 1.
Row 2 and all even rows: K 1, p 4, k 1, p 24, k 1, p 4, k 1.
Row 3: P 1, work FRONT CABLE on next 4 sts, p 1, (work FRONT CABLE on next 4 sts, work BACK CABLE on next 4 sts) 3 times, p 1, work FRONT CABLE on next 4 sts, p 1.
Row 5: Repeat Row 1.
Row 7: P 1, work FRONT CABLE on next 4 sts, p 1, (work BACK CABLE on next 4 sts, work FRONT CABLE on next 4 sts) 3 times, p 1, work FRONT CABLE on next 4 sts, p 1.
Row 8: Repeat Row 2.
 Repeat these 8 rows for pattern stitch for sleeves.

SLEEVES: Using smaller needles, cast on 40 (40-44) sts. K 1, p 1 in ribbing for 2 inches. Change to larger needles and work as follows:
Row 1: (P 1, k 1) 1(1-2) times, put a marker on needle, work Row 1 of pattern st for sleeves on next 36 sts, put a marker on needle, (k 1, p 1) 1(1-2) times. Keeping 36 sts between markers in pattern st and remaining sts in double seed st, inc 1 st each end of needle every ½ inch 11(15-16) times, working inc sts in double seed st. Work even in pattern as established on 62(70-76) sts until piece measures 10½(12¼-13¼) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(5-5) sts. Repeat Rows 3 and 4 of back shaping 11(13-17) times, ending with Row 4 - 34(34-32) sts. Now work as follows: **Row 1:** K 1, sl 1, k 2 tog, pso, work to last 4 sts, k 3 tog, k 1. **Row 2:** Repeat Row 4. Repeat the last 2 rows 6(6-5) times more. Sl remaining 6(6-8) sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Sew frontbands in place. **COLLAR:** With right side facing you, using smaller needles, pick up and k 83(89-95) sts around neck edge, including sts from holders. Work in ribbing as established for 2 inches. Change to larger needles and continue in ribbing until piece measures 4¼(4½-4½) inches. Bind off loosely in ribbing. **CREW NECK:** With right side facing you, using smaller needles, pick up and k 87(93-99) sts around neck edge, including sts from holders. K 1, p 1 in ribbing as established, forming 6th buttonhole in same manner as before on 3rd row of ribbing. Continue in ribbing until neckband measures 1 inch. Bind off loosely in ribbing. **FOR BOTH VERSIONS:** Finish buttonholes. Sew on buttons.



STYLE NO. 5221-516

(shown on pg. 17)

These directions are for children's small size (4-6). Changes for medium size (8-10) and large size (12-14) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)
— 10(10-11)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting
needles Nos. 4 and 6 (3.25 mm and 4.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 4 (3.25 mm)
1 BERNAT-Aero cable stitch needle

GAUGE

11 sts = 2 inches
7 rows = 1 inch in pattern st
5 sts = 1 inch
7 rows = 1 inch in seed st

NOTE: The abbreviations used in the following
directions are preceded by the explanation the
first time they appear.

PATTERN STITCH FOR BACK AND FRONT

Row 1: (K 1, p 1) 9(11-13) times, k 8, p 6; sl
next st onto cable needle and hold in BACK of
work, k next 2 sts, p st from cable needle
(RS 3); k 2, p 6, k 8, (p 1, k 1) 9(11-13) times.

Row 2: (K 1, p 1) 8(10-12) times, k 2, p 8, k 6,
p 2, k 1, p 2, k 6, p 8, k 2, (p 1, k 1) 8(10-12)
times.

Row 3: (K 1, p 1) 9(11-13) times; sl next 2 sts
onto cable needle and hold in FRONT of work,
k next 2 sts, k 2 sts from cable needle (FC 4);
sl next 2 sts onto cable needle and hold in
BACK of work, k next 2 sts, k 2 sts from cable
needle (BC 4); p 5, RS 3, k 1; sl next 2 sts onto
cable needle and hold in FRONT of work, p 1,
k 2 sts from cable needle (LS 3); p 5, FC 4, BC
4, (p 1, k 1) 9(11-13) times.

Row 4: (K 1, p 1) 8(10-12) times, k 2, p 8, k 5,
p 3, k 1, p 3, k 5, p 8, k 2, (p 1, k 1) 8(10-12)
times.

Row 5: (K 1, p 1) 9(11-13) times, k 8, p 4,
RS 3, p 1, k 1, p 1, LS 3, p 4, k 8, (p 1, k 1)
9(11-13) times.

Row 6: (K 1, p 1) 8(10-12) times, k 2, p 8, k 4,
p 2, (k 1, p 1) twice, k 1, p 2, k 4, p 8, k 2, (p 1,
k 1) 8(10-12) times.

Row 7: (K 1, p 1) 9(11-13) times, BC 4, FC 4,
p 3, RS 3, (k 1, p 1) twice, k 1, LS 3, p 3,
BC 4, FC 4, (p 1, k 1) 9(11-13) times.

Row 8: (K 1, p 1) 8(10-12) times, k 2, p 8, k 3,
p 3, (k 1, p 1) twice, k 1, p 3, k 3, p 8, k 2, (p 1,
k 1) 8(10-12) times.

Row 9: (K 1, p 1) 9(11-13) times, k 8, p 2,
RS 3, (p 1, k 1) 3 times, p 1, LS 3, p 2, k 8,
(p 1, k 1) 9(11-13) times.

Row 10: (K 1, p 1) 8(10-12) times, k 2, p 8, k 2,
p 2, (k 1, p 1) 4 times, k 1, p 2, k 2, p 8, k 2,
(p 1, k 1) 8(10-12) times.

Row 11: (K 1, p 1) 9(11-13) times, FC 4,
BC 4, p 1, RS 3, (k 1, p 1) 4 times, k 1, LS 3,
p 1, FC 4, BC 4, (p 1, k 1) 9(11-13) times.

Row 12: (K 1, p 1) 8(10-12) times, k 2, p 8, k 1,
p 3, (k 1, p 1) 4 times, k 1, p 3, k 1, p 8, k 2,
(p 1, k 1) 8(10-12) times.

Row 13: (K 1, p 1) 9(11-13) times, k 8, p 1,
LS 3, (k 1, p 1) 4 times, k 1, RS 3, p 1, k 8,
(p 1, k 1) 9(11-13) times.

Row 14: Repeat Row 10.

Row 15: (K 1, p 1) 9(11-13) times, BC 4,
FC 4, p 2, LS 3, (p 1, k 1) 3 times, p 1, RS 3,
p 2, BC 4, FC 4, (p 1, k 1) 9(11-13) times.


Row 16: Repeat Row 8.

Row 17: (K 1, p 1) 9(11-13) times, k 8, p 3,
LS 3, (k 1, p 1) twice, k 1, RS 3, p 3, k 8,
(p 1, k 1) 9(11-13) times.

Row 18: Repeat Row 6.

Row 19: (K 1, p 1) 9(11-13) times, FC 4,
BC 4, p 4, LS 3, p 1, k 1, p 1, RS 3, p 4,
FC 4, BC 4, (p 1, k 1) 9(11-13) times.

(cont. on pg. 38)



4261-516

4259-516

STYLE NO. 4261-516

(shown on opposite pg.)

These directions are for small size (36-38).
Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)

— 16(18-21)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting
needles Nos. 5 and 8 (3.75 mm and 5.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

1 set BERNAT-Aero dp needles No. 5
(3.75 mm)

1 BERNAT-Aero cable stitch needle

GAUGE

9 sts = 2 inches

6 rows = 1 inch in broken seed st

NOTE: The abbreviations used in the following
directions are preceded by the explanation the
first time they appear.

PATTERN STITCH FOR BACK AND FRONT

Row 1: K 23(27-31), p 6, k in BACK loop of
next st (k 1B), p 5, k 1B, p 1, k 12, p 1, k 1B,
p 5, k 1B, p 6, k 23(27-31).

Row 2: K 28(32-36); skip next st, p in BACK
loop of next st, k skipped st (T L 2); k 4, T L 2,
k 1, p 12, k 1; skip next st, k next st, p skipped
st (T R 2); k 4, T R 2, k 28(32-36).

Row 3: K 1, (p 1, k 1) 11(13-15) times, (p 5,
k 1B) twice, p 2, k 12, p 2, (k 1B, p 5) twice,
k 1, (p 1, k 1) 11(13-15) times.

Row 4: P 1, (k 1, p 1) 11(13-15) times, (k 4,
T L 2) twice, k 2, p 12, k 2, (T R 2, k 4) twice,
p 1, (k 1, p 1) 11(13-15) times.

Row 5: K 23(27-31), p 4, k 1B, p 5, k 1B, p 3;
sl next 3 sts onto cable needle and hold in
BACK of work, k next 3 sts, k 3 sts from cable
needle (C B 6), sl next 3 sts onto cable needle
and hold in FRONT of work, k next 3 sts, k 3
sts from cable needle (C F 6); p 3, k 1B, p 5,
k 1B, p 4, k 23(27-31).

Row 6: K 26(30-34), T L 2, k 4, T L 2, k 3,
p 12, k 3, T R 2, k 4, T R 2, k 26(30-34).

Row 7: K 1, (p 1, k 1) 11(13-15) times, p 3,
k 1B, p 5, k 1B, p 4, k 12, p 4, k 1B, p 5,
k 1B, p 3, k 1, (p 1, k 1) 11(13-15) times.

Row 8: P 1, (k 1, p 1) 11(13-15) times, k 2,
(T L 2, k 4) twice, p 12, (k 4, T R 2) twice, k 2,
p 1, (k 1, p 1) 11(13-15) times.

Row 9: K 23(27-31), p 2, (k 1B, p 5) twice, k
12, (p 5, k 1B) twice, p 2, k 23(27-31).

Row 10: K 24(28-32), T L 2, k 4, T L 2, k 5,
p 12, k 5, T R 2, k 4, T R 2, k 24(28-32).

Row 11: (K 1, p 1) 12(14-16) times, k 1B, p 5,
k 1B, p 6, k 12, p 6, k 1B, p 5, k 1B, (p 1, k 1)
12(14-16) times.

Row 12: (P 1, k 1) 12(14-16) times, T R 2, k 4,
T R 2, k 5, p 12, k 5, T L 2, k 4, T L 2, (k 1,
p 1) 12(14-16) times.

Row 13: Repeat Row 9.

Row 14: K 25(29-33), (T R 2, k 4) twice, p 12,
(k 4, T L 2) twice, k 25(29-33).

Row 15: K 1, (p 1, k 1) 11(13-15) times, p 3,
k 1B, p 5, k 1B, p 4, C B 6, C F 6, p 4, k 1B,
p 5, k 1B, p 3, k 1, (p 1, k 1) 11(13-15) times.

Row 16: P 1, (k 1, p 1) 11(13-15) times, k 3,
T R 2, k 4, T R 2, k 3, p 12, k 3, T L 2, k 4,
T L 2, k 3, p 1, (k 1, p 1) 11(13-15) times.

Row 17: K 23(27-31), p 4, k 1B, p 5, k 1B, p 3,
k 12, p 3, k 1B, p 5, k 1B, p 4, k 23(27-31).

Row 18: K 23(27-31), (k 4, T R 2) twice, k 2,
p 12, k 2, (T L 2, k 4) twice, k 23(27-31).

Row 19: Repeat Row 3.

Row 20: P 1, (k 1, p 1) 11(13-15) times, k 5,
T R 2, k 4, T R 2, k 1, p 12, k 1, T L 2, k 4,
T L 2, k 5, p 1, (k 1, p 1) 11(13-15) times.

Repeat these 20 rows for pattern stitch for back
and front.

BACK: Using smaller straight needles, cast on
86(94-102) sts. K in BACK of next st (K 1 B),
p 1 in ribbing for 1½ inches. Change to larger
needles and work even in pattern st for back
until piece measures 16½ inches, ending with
a wrong side row. **SHAPE FULL-FASHIONED
RAGLAN ARMHOLES:** At the beg of each of
the next 2 rows bind off 2(4-6) sts. **Row 3:** K 2,
sl 1, k 1, pssso, work to last 4 sts, k 2 tog, k 2.
Row 4: P 3, work to last 3 sts, p 3. Repeat the
last 2 rows 26(28-29) times more. Sl remaining
28(28-30) sts onto a holder.

FRONT: Work to correspond to back until there
are 38(38-40) sts on needle, ending with Row
3. **SHAPE NECK:** Work 12 sts, sl centre
14(14-16) sts onto a holder, join another ball of
yarn and work last 12 sts. Working on both
sides at once, continue to dec 1 st at each arm
edge every other row in same manner as
before 5 times more, and **AT THE SAME TIME,**
at each neck edge bind off 3 sts once and dec
1 st at same edge every other row 4 times.
Fasten off.

(cont. on pg. 26)

PATTERN STITCH FOR SLEEVES

Row 1: K 15(19-19), p 1, k 12, p 1, k 15(19-19).

Row 2: K 16(20-20), p 12, k 16(20-20).

Row 3: (K 1, p 1) 8(10-10) times, k 12, (p 1, k 1) 8(10-10) times.

Row 4: (P 1, k 1) 8(10-10) times, p 12, (k 1, p 1) 8(10-10) times.

Row 5: K 15(19-19), p 1, C B 6, C F 6, p 1, k 15(19-19).

Row 6: Repeat Row 2.

Row 7: Repeat Row 3.

Row 8: Repeat Row 4.

Row 9: Repeat Row 1.

Row 10: Repeat Row 2.

Row 11: Repeat Row 3.

Row 12: Repeat Row 4.

Row 13: Repeat Row 1.

Row 14: Repeat Row 2.

Row 15: (K 1, p 1) 8(10-10) times, C B 6, C F 6, (p 1, k 1) 8(10-10) times.

Row 16: Repeat Row 4.

Row 17: Repeat Row 1.

Row 18: Repeat Row 2.

Row 19: Repeat Row 3.

Row 20: Repeat Row 4.

Repeat these 20 rows for pattern stitch for sleeves.

SLEEVES: Using smaller straight needles, cast on 44(52-52) sts. K 1B, p 1 in ribbing for 2 inches. Change to larger needles and work in pattern st for sleeves until piece measures 4½ inches. On the next row inc 1 st each end of needle and repeat this inc every 6th row

13(11-13) times more, forming new patterns as sts are inc. Work even in pattern as established on 72(76-80) sts until piece measures 19(19¼-19½) inches, ending with a wrong side row.

SHAPE FULL-FASHIONED RAGLAN CAP: At the beg of each of the next 2 rows bind off

2(4-6) sts. Repeat Rows 3 and 4 of back shaping 25(28-28) times, ending with Row 4.

FOR SMALL SIZE ONLY: **Row 1:** K 2, sl 1, k 2 tog, pssso, work to last 5 sts, k 3 tog, k 2. **Row 2:**

P 3, work to last 3 sts, p 3. Repeat Rows 1 and 2 once more. **FOR MEDIUM SIZE ONLY:** **Row 1:** K 2, sl 1, k 1, pssso, work to last 4 sts, k 2

tog, k 2. **Row 2:** P 3, work to last 3 sts, p 3. **FOR LARGE SIZE ONLY:** **Row 1:** K 3, work to last 3 sts, k 3. **Rows 2 and 4:** P 3, work to last 3 sts, p 3. **Row 3:** K 2, sl 1, k 1, pssso, work to last 4 sts, k 2 tog, k 2. **FOR ALL SIZES:** Sl remaining 10 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams.

NECKBAND: With right side facing you, using dp needles, pick up and k 90(90-94) sts around neck edge, including sts from holders. K 1B, p 1 in ribbing for 3 inches. Bind off loosely in ribbing. Fold neckband in half and hem to wrong side.



STYLE NO. 4259-516

(shown on pg. 24)

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT BLARNEYSUN (50 gr. balls) — 17(18-19)

OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting needles Nos. 6 and 8 (4.00 mm and 5.00 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 29-inch BERNAT-Aero circular knitting needle No. 6 (4.00 mm)

5 buttons

GAUGE: 5 sts = 1 inch 6 rows = 1 inch

NOTE: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

(cont. on pg. 27)

PATTERN STITCH

Row 1: P 2; * skip next st, k in BACK LOOP of next st, k skipped st (TWIST ST); k 3, p 2, repeat from * across row.

Row 2 and all even rows: K 2, * p 5, k 2, repeat from * across row.

Row 3: P 2, * k 1, work TWIST ST on next 2 sts, k 2, p 2, repeat from * across row.

Row 5: P 2, * k 2, work TWIST ST on next 2 sts, k 1, p 2, repeat from * across row.

Row 7: P 2, * k 3, work TWIST ST on next 2 sts, p 2, repeat from * across row.

Row 8: Repeat Row 2.

Repeat these 8 rows for pattern stitch.

BACK: Using smaller straight needles, cast on 100(106-114) sts. K 1, p 1 in ribbing for 2 inches, inc 0(1-0) st at end of last row. Change to larger needles and work even in pattern st on 100(107-114) sts until piece measures 16½(17-17) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 6(6-7) sts. Dec 1 st each end of needle every other row 4(5-5) times. Work even in pattern as established on 80(85-90) sts until armholes measure 9(9½-10) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 8(9-10) sts. At the beg of each of the next 2 rows bind off 9 sts. Bind off loosely remaining 30(31-32) sts.

POCKET LINING: Make 2. Using larger needles, cast on 23 sts. Work even in pattern st for 4 inches, ending with a right side row. Sl sts onto a holder.

LEFT FRONT: Using smaller straight needles, cast on 44(50-58) sts. K 1, p 1 in ribbing for 2 inches, inc 0(1-0) st at end of last row. Change to larger needles and work Row 1 of pattern st across row — 44(51-58) sts. Continue in pattern as established until piece measures 6 inches, ending with a wrong side row. **POCKET OPENING:** Starting at arm edge, work 37 sts, sl last 23 sts just worked onto a holder, work to end of row. **INSERT POCKET:** Work to pocket opening, work 23 sts of one pocket lining onto same needle, work to end of row. Continue in pattern as established on 44(51-58) sts until piece measures 16½(17-17) inches, ending with a wrong side row. **SHAPE ARMHOLE AND NECK:** **Row 1:** At arm edge bind off 6(6-7) sts, work to last 4 sts, sl 1, k 1, pso (neck dec), k 2. **Row 2:** P 3, work in pattern as established to end of row. Dec 1 st at arm edge every other row 4(5-5) times, and AT THE SAME TIME, dec

1 st at neck edge in same manner as before every 4th row 8(9-13) times more and then every other row 0(3-3) times. When all neck decs have been completed, work even on 25(27-29) sts until armhole measures 9(9½-10) inches. **SHAPE SHOULDER:** At arm edge bind off 8(9-10) sts twice and 9 sts once.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and placing of pattern st and pocket. **TO DEC AT NECK EDGE:** K 2, k 2 tog, work to end of row.

SLEEVES: Using smaller straight needles, cast on 44(50-50) sts. K 1, p 1 in ribbing for 2½ inches, inc 0(1-1) st at end of last row — 44(51-51) sts. Change to larger needles and work in pattern st, inc 1 st each end of needle every ¾(1-¾) inch 16(15-17) times, forming new patterns as sts are inc. Work even in pattern as established on 76(81-85) sts until piece measures 18¾(19¼-19¾) inches, ending with a wrong side row. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 6(6-7) sts. **Row 3:** K 2, k 2 tog, work in pattern as established to last 4 sts, sl 1, k 1, pso, k 2. **Row 4:** P 2, work in pattern as established to last 2 sts, p 2. Repeat the last 2 rows 17(19-20) times more. At the beg of each of the next 6 rows bind off 3 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **FRONTBAND:** With right side facing you, using circular needle and starting at lower right front edge, pick up and k 80(82-82) sts along right front edge to start of neck shaping, 137(145-153) sts around neck to start of left front neck shaping and 80(82-82) sts along left front edge — 297 (309-317) sts. K the next row. K 1, p 1 in ribbing for 5 rows. **BUTTONHOLES:** Starting at lower left front edge, work 3 sts, * bind off the next 4 sts, work until there are 14(15-15) sts on needle after last bound-off st, repeat from * 3 times more, bind off the next 4 sts, work in ribbing as established to end of row. On the next row cast on 4 sts over each group of 4 sts bound off previous row. Work in ribbing for 3 rows more. Bind off in ribbing. **POCKETBAND:** With right side facing you, using smaller straight needles, pick up and k 23 sts across pocket opening. K 1, p 1 in ribbing for 1 inch, ending with a right side row. Bind off as if to k. Sew pocketbands and pocket linings in place. Finish buttonholes. Sew on buttons.



STYLE NO. 8001-516

(shown on front cover)

These directions are for small size (32-34). Changes for medium size (36-38), large size (40-42) and extra large size (44-46) are in parentheses. For men's sizes, advance one step. Example: Women's medium size (36-38) is men's small size (36-38).

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)
— 16(17-18-19)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE
FOR SMALL SIZE ONLY

1 pair each BERNAT-Aero straight knitting
needles Nos. 2 and 4 (2.75 mm and 3.25 mm)

1 set each BERNAT-Aero dp needles Nos. 2
and 4 (2.75 mm and 3.25 mm)

1 BERNAT-Aero cable stitch needle
FOR MEDIUM, LARGE AND EXTRA LARGE
SIZES

1 pair each BERNAT-Aero straight knitting
needles Nos. 3 and 6 (3.00 mm and 4.00 mm)

1 set each BERNAT-Aero dp needles Nos. 3
and 6 (3.00 mm and 4.00 mm)

1 BERNAT-Aero cable stitch needle
OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

GAUGE

13 sts = 2 inches

13 rows = 2 inches on No. 4 needles for small
size

11 sts = 2 inches

11 rows = 2 inches on No. 6 needles for
medium, large and extra large sizes

NOTE 1: The abbreviations used in the following
directions are preceded by the explanation the
first time they appear.

NOTE 2: When working k 1, p 1 ribbing, always
k in BACK of each k st.

PATTERN STITCH FOR BACK AND FRONT

Row 1: (K 1, p 1) 1(0-2-5) times, * p 2; sl next 2
sts onto cable needle and hold in BACK of work,
k next 2 sts, k 2 sts from cable needle (BACK
TWIST); sl next 2 sts onto cable needle and hold
in FRONT of work, k next 2 sts, k 2 sts from
cable needle (FRONT TWIST); p 2, k 1, p 3, k 1,
p 2; skip next st, k next st, p skipped st (RIGHT
SLANT); skip next st, p in BACK of next st, k
skipped st (LEFT SLANT); p 2, work RIGHT
SLANT on next 2 sts, work LEFT SLANT on
next 2 sts, p 2, k 1, p 3, k 1, p 2, work BACK
TWIST on next 4 sts, work FRONT TWIST on
next 4 sts, p 2 *, k 8, repeat between *'s once,
ending (k 1, p 1) 1(0-2-5) times.

Row 2: (K 1, p 1) 1(0-2-5) times, * k 2, p 8, k 2,
p 1, k 3, p 1, (k 2, p 1) 5 times, k 3, p 1, k 2,
p 8, k 2 *, p 8, repeat between *'s once, ending
(k 1, p 1) 1(0-2-5) times.

Row 3: (P 1, k 1) 1(0-2-5) times, * p 2, k 8, p 2,
k 1, p 1; k in front, back and front of next st (3
sts made from 1 st), (turn, k these 3 sts again)
twice, then sl 2nd and 3rd st over first st (1 st re-
mains) (POPCORN); p 1, k 1, p 1, [work RIGHT
SLANT on next 2 sts, p 2, work LEFT SLANT on
next 2 sts] twice, p 1, k 1, p 2, make a POP-
CORN in next st, p 1, k 1, p 2, k 8, p 2 *, work
FRONT TWIST on next 4 sts, work BACK
TWIST on next 4 sts, repeat between *'s once,
ending (p 1, k 1) 1(0-2-5) times.

Row 4: (P 1, k 1) 1(0-2-5) times, * k 2, p 8, k 2,
p 1, k 3, p 1, k 1, p 1, k 4; skip next st, p next
st, p skipped st (PURL TWIST); k 4, p 1, k 1,
p 1, k 3, p 1, k 2, p 8, k 2 *, p 8, repeat
between *'s once, ending (p 1, k 1) 1(0-2-5)
times.

Row 5: (K 1, p 1) 1(0-2-5) times, * p 2, work
FRONT TWIST on next 4 sts, work BACK
TWIST on next 4 sts, p 2, k 1, p 3, k 1, p 1,
[work LEFT SLANT on next 2 sts, p 2, work
RIGHT SLANT on next 2 sts] twice, p 1, k 1,

(cont. on pg. 29)

p 3, k 1, p 2, work FRONT TWIST on next 4 sts, work BACK TWIST on next 4 sts, p 2 * k 8, repeat between *'s once, ending (k 1, p 1) 1(0-2-5) times.

Row 6: Repeat Row 2.

Row 7: (P 1, k 1) 1(0-2-5) times, * p 2, k 8, p 2, k 1, p 3, k 1, p 2, [work LEFT SLANT on next 2 sts, work RIGHT SLANT on next 2 sts, p 2] twice, k 1, p 3, k 1, p 2, k 8, p 2 *, k 8, repeat between *'s once, ending (p 1, k 1) 1(0-2-5) times.

Row 8: (P 1, k 1) 1(0-2-5) times, * k 2, p 8, k 2, (p 1, k 3) twice, work PURL TWIST on next 2 sts, k 4, work PURL TWIST on next 2 sts, (k 3, p 1) twice, k 2, p 8, k 2 *, p 8, repeat between *'s once, ending (p 1, k 1) 1(0-2-5) times.

Repeat these 8 rows for pattern stitch for back and front.

BACK: Using smaller straight needles, cast on 108(104-112-124) sts. K 1, p 1 in ribbing for 2 inches. Change to larger straight needles and work even in pattern st for back until piece measures 15(15-15½-15½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 6(6-7-8) sts. **Row 3:** K 1, sl 1, k 1, pssw, work in pattern as established to last 3 sts, k 2 tog, k 1. **Row 4:** K 2, work in pattern as established to last 2 sts, k 2. Repeat the last 2 rows 24(20-22-20) times more, ending with Row 4. Then repeat Row 3 ONLY 6(8-8-14) times — 34(34-36-38) sts. Sl these sts onto a holder.

FRONT: Work to correspond to back until 58(58-60-68) sts remain, ending with a right side row. **SHAPE NECK:** Work 17(17-17-20) sts, sl centre 24(24-26-28) sts onto a holder, join another ball of yarn and work to end of row. Working on both sides at once, dec 1 st at each neck edge every other row 5 times, and AT THE SAME TIME, continue to dec 1 st at each arm edge in same manner as before every other row 6(4-4-1) times more and then EVERY ROW 6(8-8-14) times. Fasten off.

PATTERN STITCH FOR SLEEVES

Row 1: P 1, work BACK TWIST on next 4 sts, work FRONT TWIST on next 4 sts, p 2, k 1, p 3, k 1, p 2, * [work RIGHT SLANT on next 2 sts, work LEFT SLANT on next 2 sts, p 2] twice, k 1, p 3, k 1, p 2 *, repeat between *'s once, work BACK TWIST on next 4 sts, work FRONT TWIST on next 4 sts, p 1.

Row 2: K 1, p 8, k 2, * p 1, k 3, (p 1, k 2) 5 times *, repeat between *'s once, p 1, k 3, p 1, k 2, p 8, k 1.

Row 3: P 1, k 8, p 2, * k 1, p 1, make a POP-CORN in next st, p 1, k 1, p 1, [work RIGHT

SLANT on next 2 sts, p 2, work LEFT SLANT on next 2 sts] twice, p 1 *, repeat between *'s once, k 1, p 1, make a POPCORN in next st, p 1, k 1, p 2, k 8, p 1.

Row 4: K 1, p 8, k 2, * p 1, k 3, p 1, k 1, p 1, k 4, work a PURL TWIST on next 2 sts, k 4, p 1, k 1 *, repeat between *'s once, p 1, k 3, p 1, k 2, p 8, k 1.

Row 5: P 1, work FRONT TWIST on next 4 sts, work BACK TWIST on next 4 sts, p 2, * k 1, p 3, k 1, p 1, [work LEFT SLANT on next 2 sts, p 2, work RIGHT SLANT on next 2 sts] twice, p 1 *, repeat between *'s once, k 1, p 3, k 1, p 2, work FRONT TWIST on next 4 sts, work BACK TWIST on next 4 sts, p 1.

Row 6: Repeat Row 2.

Row 7: P 1, k 8, p 2, * k 1, p 3, k 1, p 2, [work LEFT SLANT on next 2 sts, work RIGHT SLANT on next 2 sts, p 2] twice *, repeat between *'s once, k 1, p 3, k 1, p 2, k 8, p 1.

Row 8: K 1, p 8, k 2, * (p 1, k 3) twice, work PURL TWIST on next 2 sts, k 4, work PURL TWIST on next 2 sts, k 3 *, repeat between *'s once, p 1, k 3, p 1, k 2, p 8, k 1.

Repeat these 8 rows for pattern stitch for sleeves.

SLEEVES: Using smaller straight needles, cast on 44(44-48-48) sts. K 1, p 1 in ribbing for 2½ inches. Change to larger straight needles and p the next row, inc at even intervals to 65 sts. Work in pattern st for sleeves, inc 1 st each end of needle every 1(1½-1-1) inches 13(9-12-15) times, working inc sts in double seed st. Work even in pattern as established on 91(83-89-95) sts until piece measures 17½(18-18½-19) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 6(6-7-8) sts. **Row 3:** K 1, sl 1, k 1, pssw, work in pattern as established to last 3 sts, k 2 tog, k 1. **Row 4:** K 2, work in pattern as established to last 2 sts, k 2. Repeat the last 2 rows 19(17-19-19) times more, ending with Row 4. Then repeat Row 3 ONLY 16(14-14-16) times. Sl remaining 7 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. **CREW NECK:** With right side facing you, using smaller dp needles, pick up and k 92(88-92-96) sts around neck edge, including sts from holders. **Round 1:** * K 1, p 1, repeat from * around. **Round 2:** * K 1 B, p 1, repeat from * around. Repeat these 2 rounds for 2½ inches. Bind off loosely in ribbing. Fold neck band in half and hem to wrong side. **TURTLENECK:** Work in same manner as crew neck until neckband measures 5 inches. Bind off loosely in ribbing.



1066-516

STYLE NO. 1066-516*(shown on opposite pg.)*

These directions are for size 10. Changes for sizes 12, 14, 16 and 18 are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)
— 18(19-19-20-20)

OR ANY EQUIVALENT YARN THAT WILL
GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting
needles Nos. 3 and 5 (3.00 mm and 3.75 mm)
OR ANY SIZE NEEDLES THAT WILL GIVE
THE SPECIFIED STITCH GAUGE

1 BERNAT-Aero cable stitch needle
7 buttons

GAUGE: 13 sts = 2 inches 7 rows = 1 inch

NOTE: The abbreviations used in the following
directions are preceded by the explanation the
first time they appear.

PATTERN STITCH FOR BACK

Row 1: K 0(1-1-0-0), (p 1, k 1) 3(4-4-6-6) times,
p 1, * k 8, p 5, [skip next st, k next st, p skip-
ped st (RIGHT TWIST)] twice; k, p, k all in next
st, (turn and k these 3 sts, turn and p these 3
sts) twice, turn, sl 1, k 2 tog, psso, turn and sl
remaining st onto right-hand needle (POP-
CORN); [skip next st, p in BACK of next st, k
skipped st (LEFT TWIST)] twice, p 5, k 8 *, p
30(30-38-38-42), repeat between *'s once, p 1,
(k 1, p 1) 3(4-4-6-6) times, k 0(1-1-0-0).

Row 2: P 0(1-1-0-0), (k 1, p 1) 3(4-4-6-6) times,
* k 1, p 8, k 5, p 1, k 1, p 1, k 3, p 1, k 1, p 1,
k 5, p 8, k 1 *, (p 3 tog; k, p, k all in next st)
7(7-9-9-10) times, repeat between *'s once,
(p 1, k 1) 3(4-4-6-6) times, p 0(1-1-0-0).

Row 3: P 0(1-1-0-0), (k 1, p 1) 2(3-3-5-5) times,
k 1, p 2, * sl next 2 sts onto cable needle and
hold in BACK of work, k next 2 sts, k 2 sts from
cable needle; sl next 2 sts onto cable needle
and hold in FRONT of work, k next 2 sts, k 2
sts from cable needle (HORSESHOE CABLE);
p 4, (work RIGHT TWIST on next 2 sts) twice,
p 3, (work LEFT TWIST on next 2 sts) twice,
p 4, work HORSESHOE CABLE on next 8 sts
*, p 30(30-38-38-42), repeat between *'s once,
p 2, k 1, (p 1, k 1) 2(3-3-5-5) times, p 0(1-1-0-0).

Row 4: K 0(1-1-0-0), (p 1, k 1) 2(3-3-5-5) times,
p 1, k 2, * p 8, k 4, p 1, k 1, p 1, k 5, p 1, k 1,
p 1, k 4, p 8 *, k 1, (k, p, k all in next st; p 3
tog) 7(7-9-9-10) times, k 1, repeat between *'s

once, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times, k
0(1-1-0-0).

Row 5: K 0(1-1-0-0), (p 1, k 1) 3(4-4-6-6) times,
p 1, * k 8, p 3, (work RIGHT TWIST on next 2
sts) twice, p 5, (work LEFT TWIST on next 2
sts) twice, p 3, k 8 *, p 30(30-38-38-42), repeat
between *'s once, p 1, (k 1, p 1) 3(4-4-6-6)
times, k 0(1-1-0-0).

Row 6: P 0(1-1-0-0), (k 1, p 1) 3(4-4-6-6) times,
* k 1, p 8, k 3, p 1, k 1, p 1, k 7, p 1, k 1, p 1,
k 3, p 8, k 1 *, (p 3 tog; k, p, k all in next st)
7(7-9-9-10) times, repeat between *'s once,
(p 1, k 1) 3(4-4-6-6) times, p 0(1-1-0-0).

Row 7: P 0(1-1-0-0), (k 1, p 1) 2(3-3-5-5) times,
k 1, p 2, * work HORSESHOE CABLE on next
8 sts, p 2, (work RIGHT TWIST on next 2 sts)
twice, p 7, (work LEFT TWIST on next 2 sts)
twice, p 2, work HORSESHOE CABLE on next
8 sts *, p 30(30-38-38-42), repeat between *'s
once, p 2, k 1, (p 1, k 1) 2(3-3-5-5) times, p
0(1-1-0-0).

Row 8: K 0(1-1-0-0), (p 1, k 1) 2(3-3-5-5) times,
p 1, k 2, * p 8, k 2, p 1, k 1, p 1, k 9, p 1, k 1,
p 1, k 2, p 8 *, k 1, (k, p, k all in next st; p 3
tog) 7(7-9-9-10) times, k 1, repeat between *'s
once, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times, k
0(1-1-0-0).

Row 9: K 0(1-1-0-0), (p 1, k 1) 3(4-4-6-6) times,
p 1, * k 8, p 2, (work LEFT TWIST on next 2
sts) twice, p 7, (work RIGHT TWIST on next 2
sts) twice, p 2, k 8 *, p 30(30-38-38-42), repeat
between *'s once, p 1, (k 1, p 1) 3(4-4-6-6)
times, k 0(1-1-0-0).

Row 10: Repeat Row 6.

Row 11: P 0(1-1-0-0), (k 1, p 1) 2(3-3-5-5)
times, k 1, p 2, * work HORSESHOE CABLE
on next 8 sts, p 3, (work LEFT TWIST on next 2
sts) twice, p 5, (work RIGHT TWIST on next 2
sts) twice, p 3, work HORSESHOE CABLE on
next 8 sts *, p 30(30-38-38-42), repeat between
*'s once, p 2, k 1, (p 1, k 1) 2(3-3-5-5) times, p
0(1-1-0-0).

Row 12: Repeat Row 4.

Row 13: K 0(1-1-0-0), (p 1, k 1) 3(4-4-6-6)
times, p 1, * k 8, p 4, (work LEFT TWIST on
next 2 sts) twice, p 3, (work RIGHT TWIST on
next 2 sts) twice, p 4, k 8 *, p 30(30-38-38-42),
repeat between *'s once, p 1, (k 1, p 1)
3(4-4-6-6) times, k 0(1-1-0-0).

Row 14: Repeat Row 2.

Row 15: P 0(1-1-0-0), (k 1, p 1) 2(3-3-5-5)
times, k 1, p 2, * work HORSESHOE CABLE

(cont. on pg. 32)



1066-516 (cont. from pg. 31)

on next 8 sts, p 5, (work LEFT TWIST on next 2 sts) twice, p 1, (work RIGHT TWIST on next 2 sts) twice, p 5, work HORSESHOE CABLE on next 8 sts *, p 30(30-38-42), repeat between *'s once, p 2, k 1, (p 1, k 1) 2(3-3-5-5) times, p 0(1-1-0-0).

Row 16: K 0(1-1-0-0), (p 1, k 1) 2(3-3-5-5) times, p 1, k 2, * p 8, k 6, (p 1, k 1) 3 times, p 1, k 6, * k 1, (k, p, k all in next st; p 3 tog) 7(7-9-9-10) times, k 1, repeat between *'s once, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times, k 0(1-1-0-0).

Repeat these 16 rows for pattern stitch for back.

NOTE: When working k 1, p 1 in ribbing, always k in BACK of each k st.

BACK: Using smaller needles, cast on 114 (120-128-134-138) sts. K 1, p 1 in ribbing for 2 inches. Change to larger needles and work even in pattern st for back until piece measures 14(14-14½-14½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off 3(4-5-5) sts. **Row 3:** K 2, sl 1, k 1, pssso, work in pattern as established to last 4 sts, k 2 tog, k 2. **Row 4:** K 1, p 2, work in pattern as established to last 3 sts, p 2, k 1. Repeat the last 2 rows 16

(17-17-17-19) times more, ending with Row 4 — 74(76-82-88-88) sts. Then work as follows: **Row 1:** K 2, sl 1, k 2 tog, pssso, work to last 5 sts, k 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat these 2 rows 10(10-11-12-12) times more. Sl remaining 30(32-34-36-36) sts onto a holder.

PATTERN STITCH FOR LEFT FRONT

Row 1: (P 1, k 1) 3(4-4-6-6) times, p 1, repeat between *'s of Row 1 of pattern st for back, p 17(17-21-21-25).

Row 2: (P 3 tog; k, p, k all in next st) 4(4-5-5-6) times, repeat between *'s of Row 2 of pattern st for back, (p 1, k 1) 3(4-4-6-6) times.

Row 3: (K 1, p 1) 2(3-3-5-5) times, k 1, p 2, repeat between *'s of Row 3 of pattern st for back, p 17(17-21-21-25).

Row 4: (K, p, k all in next st; p 3 tog) 4(4-5-5-6) times, k 1, repeat between *'s of Row 4 of pattern st for back, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times.

Row 5: (P 1, k 1) 3(4-4-6-6) times, p 1, repeat between *'s of Row 5 of pattern st for back, p 17(17-21-21-25).

Row 6: (P 3 tog; k, p, k all in next st) 4(4-5-5-6) times, repeat between *'s of Row 6 of pattern st for back, (p 1, k 1) 3(4-4-6-6) times.

Row 7: (K 1, p 1) 2(3-3-5-5) times, k 1, p 2, repeat between *'s of Row 7 of pattern st for back, p 17(17-21-21-25).

Row 8: (K, p, k all in next st; p 3 tog) 4(4-5-5-6) times, k 1, repeat between *'s of Row 8 of pattern st for back, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times.

Row 9: (P 1, k 1) 3(4-4-6-6) times, p 1, repeat between *'s of Row 9 of pattern st for back, p 17(17-21-21-25).

Row 10: Repeat Row 6.

Row 11: (K 1, p 1) 2(3-3-5-5) times, k 1, p 2, repeat between *'s of Row 11 of pattern st for back, p 17(17-21-21-25).

Row 12: Repeat Row 4.

Row 13: (P 1, k 1) 3(4-4-6-6) times, p 1, repeat between *'s of Row 13 of pattern st for back, p 17(17-21-21-25).

Row 14: Repeat Row 2.

Row 15: (K 1, p 1) 2(3-3-5-5) times, k 1, p 2, repeat between *'s of Row 15 of pattern st for back, p 17(17-21-21-25).

Row 16: (K, p, k all in next st; p 3 tog) 4(4-5-5-6) times, k 1, repeat between *'s of Row 16 of pattern st for back, k 2, p 1, (k 1, p 1) 2(3-3-5-5) times.

Repeat these 16 rows for pattern stitch for left front.

LEFT FRONT: Using smaller needles, cast on 68(70-74-78-82) sts. **Rows 1 and 2:** * K 1, p 1, repeat from * across row. **Row 3:** K 1, (p 1, k 1) 29(30-32-34-36) times, put a marker on

(cont. on pg. 33)

needle, k 1, (p 1, k 1) 4 times (9 sts in double seed st for frontband). **Row 4:** P 1, * k 1, p 1, repeat from * to marker, work in ribbing as established to end of row. Repeat these 4 rows for 2 inches, ending at arm edge. On the next row change to larger needles and work Row 1 of pattern st for left front to marker, sl remaining 9 sts onto a holder to be worked later for frontband. Continue in pattern as established on 59(61-65-69-73) sts until piece measures 14(14-14½-14½-14½) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN ARMHOLE:** At the beg of the next row bind off 3(4-5-5-5) sts, work to end of row. **Row 2:** Work even in pattern as established. **Row 3:** K 2, sl 1, k 1, pss, work in pattern as established to end of row. **Row 4:** Work to last 3 sts, p 2, k 1. Repeat the last 2 rows 16(17-17-17-18) times, ending with Row 4 — 39(39-42-46-49) sts. Then work as follows: **Row 1:** K 2, sl 1, k 2 tog, pss, work to end of row. **Row 2:** Repeat Row 4. Repeat these 2 rows 4(4-4-4-5) times more, ending at front edge — 29(29-32-36-37) sts. **SHAPE NECK:** Work 6(6-6-8-9) sts and sl these sts onto a holder, work to end of row. Dec 1 st at neck edge EVERY ROW 4(4-4-2-2) times, and then every other row 4(4-5-7-7) times, and AT THE SAME TIME, continue to dec 2 sts at arm edge in same manner as before every other row 6(6-7-8-8) times, ending at arm edge — 3 sts. On the next row sl 1, k 2 tog, pss. Fasten off. **LEFT FRONTBAND:** Sl 9 sts from holder onto smaller needle and continue in double seed st until piece measures same length as front, stretching slightly. Sl 9 sts onto a holder.

RIGHT FRONT: Using smaller needles, cast on 68(70-74-78-82) sts. **Rows 1 and 2:** * P 1, k 1, repeat from * across row. **Row 3:** K 1, (p 1, k 1) 4 times, put a marker on needle, work in ribbing as established across row. **Row 4:** Work in ribbing as established to marker, (p 1, k 1) 4 times, p 1. **Row 5: BUTTONHOLE:** Starting at front edge, work 3 sts, bind off the next 3 sts, work to end of row. On the next row cast on 3 sts over those bound off previous row. Continue in pattern as established until piece measures 2 inches. On the next row work to marker and sl these 9 sts onto a holder to be worked later for frontband; change to larger needles and work as follows: **Row 1:** P 17(17-21-21-25), repeat between *s of Row 1 of pattern st for back, p 1, (k 1, p 1) 3(4-4-6-6) times. **Row 2:** (P 1, k 1) 3(4-4-6-6) times, repeat between *s of Row 2 of pattern st for back, (p 3 tog; k, p, k all in next st) 4(4-5-5-6) times. Continue in this manner to reverse placing of pattern st and finish to correspond to left front, reversing all shaping. **TO DEC FOR FULL-**

FASHIONED RAGLAN ARMHOLE: Work to last 4 sts, k 2 tog, k 2. On the next row k 1, p 2, work to end of row. **RIGHT FRONTBAND:** Sl 9 sts from holder onto smaller needle, join yarn at inner edge and continue in pattern as established, forming 6 more buttonholes, evenly spaced — the last one to be made in neckband.

PATTERN STITCH FOR SLEEVES

Row 1: (P 1, k 1) twice, p 1, k 8, p 26, k 8, p 1, (k 1, p 1) twice.

Row 2: (K 1, p 1) twice, k 1, p 8, k 1, (p 3 tog; k, p, k all in next st) 6 times, k 1, p 8, k 1, (p 1, k 1) twice.

Row 3: K 1, p 1, k 1, p 2, work HORSESHOE CABLE on next 8 sts, p 26, work HORSESHOE CABLE on next 8 sts, p 2, k 1, p 1, k 1.

Row 4: P 1, k 1, p 1, k 2, p 8, k 1, (k, p, k all in next st; p 3 tog) 6 times, k 1, p 8, k 2, p 1, k 1, p 1.

Repeat these 4 rows for pattern stitch for sleeves.

SLEEVES: Using smaller needles, cast on 44 sts. K 1, p 1 in ribbing for 2 inches, inc 8 sts evenly spaced on last row — 52 sts. Change to larger needles and work in pattern st, inc 1 st each end of needle every 1¼-¾-¾-½ inch 14 (16-18-19-21) times, working inc sts in double seed st. Work even in pattern as established on 80(84-88-90-94) sts until piece measures 17½(17½-18-18-18) inches, ending with a wrong side row. **SHAPE FULL-FASHIONED RAGLAN CAP:** At the beg of each of the next 2 rows bind off 3(4-5-5-5) sts. Repeat Rows 3 and 4 of back armhole shaping 23(24-25-26-28) times — 28 sts. Then work as follows: **Row 1:** K 2, sl 1, k 2 tog, pss, work to last 5 sts, k 3 tog, k 2. **Row 2:** Repeat Row 4. Repeat these 2 rows 4 times more. Sl remaining 8 sts onto a holder.

FINISHING: Sew sleeves to back and front armholes. Sew underarm and sleeve seams. Sew frontbands in place. **NECKBAND:** With right side facing you, using smaller needles, pick up and k 97(101-103-107-109) sts around neck edge, including sts from holders. **Row 1:** Work 9 sts in double seed st as established, p 1, * k 1, p 1, repeat from * to last 9 sts, work in double seed st to end of row. Keeping 9 sts at each end of needle in double seed st, work remaining sts in ribbing as established, and AT THE SAME TIME, on the next row form another buttonhole in right frontband in same manner as before. Continue in pattern as established until neckband measures 1¼ inches. Bind off loosely in ribbing. Finish buttonholes. Sew on buttons.





STYLE NO. 8002-516

(shown on pg. 36)

These directions are for small size (32-34). Changes for medium size (36-38), large size (40-42) and extra large size (44-46) are in parentheses. For men's sizes, advance one step. Example: Women's medium size (36-38) is men's small size (36-38).

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls) — 16(17-18-19)
OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 pair each BERNAT-Aero straight knitting needles Nos. 5 and 6 (3.75 mm and 4.00 mm)
OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE
1 BERNAT-Aero cable stitch needle

GAUGE: 9 sts = 2 inches 6 rows = 1 inch

NOTE 1: All incs are made by picking up the thread lying between the last st and the next st and knitting into the back of it.

NOTE 2: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

CABLE PATTERN STITCH FOR BACK AND FRONT ARMHOLES: To be worked on each group of 6 sts as designated.

Row 1: Sl next st onto cable needle and hold in FRONT of work, k next 2 sts, k st from cable needle (FC 3); sl next 2 sts onto cable needle and hold in BACK of work, k next st, k 2 sts from cable needle (BC 3).

Row 2: P 2, skip next st, p into front loop of next st, p skipped st (TWIST 2), p 2.

Row 3: BC 3, FC 3.

Rows 4 and 6: P 6.

Rows 5 and 7: K 6.

Row 8: P 6.

Repeat these 8 rows for cable pattern stitch for back and front armholes.

BACK: Using smaller needles, cast on 79(89-99-109) sts. **Row 1:** P 1, * k 1, p 1, repeat from * across row. **Row 2:** K 1, * p 1, k 1, repeat from * across row. Repeat these 2 rows for 2 inches, ending with Row 2. Change to larger needles and starting with a p row, work even in reverse stockinette st until piece measures 18 (18½-19-19½) inches or desired length to underarm, ending with a k row. **SHAPE**

ARMHOLES: At the beg of each of the next 4 rows bind off 5(6-7-8) sts — 59(65-71-77) sts.

Row 5: P 2(3-4-5), k 3, inc 1 st, k 2, p 45 (49-53-57), k 2, inc 1 st, k 3, p 2(3-4-5) — 2 sts inc.

Row 6: K 2(3-4-5), p 6, k 45(49-53-57), p 6, k 2(3-4-5). **Row 7:** P 2(3-4-5), put a marker on needle, work Row 1 of cable pattern st for armholes on next 6 sts, put a marker on needle, p to last 8(9-10-11) sts, put a marker on needle, work Row 1 of cable pattern st for armholes on next 6 sts, put a marker on needle, p 2(3-4-5).

Row 8: K 2(3-4-5), work Row 2 of cable pattern st for armholes on next 6 sts, k 1, inc 1 st, k 1, work Row 2 of cable pattern st for armholes on next 6 sts, k 2(3-4-5) — 2 sts inc. Continue in this manner to work each group of 6 sts between markers in cable pattern st for armholes and remaining sts in reverse stockinette st, inc 2 sts in same

(cont. on pg. 35)

manner as before every 8th row 5 times more — 73(79-85-91) sts. Work even in pattern as established until armholes measure 8(8½-9-9½) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 8(9-9-10) sts. At the beg of each of the next 2 rows bind off 8(8-10-10) sts. Bind off remaining 25(27-29-31) sts.

CABLE PATTERN STITCH FOR FRONT: To be worked on 17 sts as designated.

Row 1: FC 3, BC 3, p 5, FC 3, BC 3.

Row 2: P 2, TWIST 2, p 2, k 5, p 2, TWIST 2, p 2.

Row 3: BC 3, FC 3, p 5, BC 3, FC 3.

Rows 4 and 6: P 6, k 5, p 6.

Rows 5 and 7: K 6, p 5, k 6.

Row 8: Repeat Row 4.

Repeat these 8 rows for cable pattern for front.

FRONT: Using smaller needles, cast on 79(89-99-109) sts. Repeat Rows 1 and 2 of back ribbing for 2 inches, ending with Row 2. Change to larger needles. **INC ROW:** P 32(37-42-47), k 2, inc 1 st, k 3, p 5, k 3, inc 1 st, k 2, p 32(37-42-47) — 81(91-101-111) sts. On the next row k 32(37-42-47), p 6, k 5, p 6, k 32(37-42-47). **Row 1:** P 32(37-42-47), put a marker on needle, work Row 1 of cable pattern st on next 17 sts, put a marker on needle, p 32(37-42-47). **Row 2:** K 32(37-42-47), work Row 2 of cable pattern st on next 17 sts, k 32(37-42-47). Continue in this manner to work 17 sts between markers in pattern st and remaining sts in reverse stockinette st until piece measures 18(18½-19-19½) inches or desired length to underarm, ending with a wrong side row. **SHAPE FRONT OPENING AND ARMHOLES:** Discontinuing cable pattern st on 17 sts between markers and removing markers, on the next row p 31 (36-40-44), sl remaining sts onto a holder. **LEFT SIDE:** **Row 1:** Knit. **Rows 2 and 4:** At arm edge bind off 5(6-7-8) sts, work to end of row. **Rows 3 and 5:** Knit. **Row 6:** P 2(3-4-5), k 3, inc 1 st, k 2, p 15(16-17-18). **Row 7:** K 15(16-17-18), p 6, k 2(3-4-5). **Row 8:** P 2(3-4-5), put a marker on needle, work Row 1 of cable pattern st for armholes on next 6 sts, put a marker on needle, p 15(16-17-18). **Row 9:** K 2, sl 1 as if to k, k 1, psso (neck dec), k to 1 st before marker, inc 1 st, k 1, work Row 2 of cable pattern st for armholes on next 6 sts, k 2(3-4-5). Continue in this manner to work 6 sts between markers in cable pattern st for armholes as established and remaining sts in reverse stockinette st, and **AT THE SAME TIME,** dec 1 st at neck edge every 8th row 3(4-4-4) times more and inc 1 st before first marker 5 times more. When all shaping has been completed, work even in pattern as established on 24(26-28-30) sts until armhole

measures 8(8½-9-9½) inches. **SHAPE SHOULDER:** At arm edge bind off 8(9-9-10) sts twice and 8(8-10-10) sts once. **RIGHT SIDE:** With right side facing you, sl 50(55-61-67) sts onto larger needles. Join yarn at neck edge and bind off 19(19-21-23) sts, p to end of row. K 1 row, p 1 row. Finish to correspond to left side, reversing all shaping and placing of armhole pattern st.

SLEEVES: Using smaller needles, cast on 43(45-47-49) sts. Repeat Rows 1 and 2 of back ribbing for 3 inches. Change to larger needles. Starting with a p row, work in reverse stockinette st, inc 1 st each end of needle and repeat this inc every 4th row 11(12-13-13) times, putting a marker in each side of work when piece measures 18(18½-19-19½) inches. Work even in reverse stockinette st on 67(71-75-77) sts until piece measures 20(21-22-23) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 5(6-7-8) sts. At the beg of each of the next 6(8-10-10) rows bind off 7(6-5-5) sts. Bind off remaining 15(11-11-11) sts.

COLLAR: **LEFT SIDE:** Using larger needles, cast on 23(23-25-27) sts. Repeat Rows 1 and 2 of back ribbing once. At the beg of the next row inc 1 st and repeat this inc every other row 3(3-5-7) times more, forming new ribs as sts are inc. Work 1 row. On the next row inc 1 st at same edge and repeat this inc every 4th row 5 times more, ending at straight edge. **SHORT ROWS:** **Row 1:** Work to last 6 sts. **Row 2:** Turn, work to end of row. (Work 3 rows. On the next row inc 1 st at shaped edge of collar) twice. Repeat the last 10 rows twice more. Put a marker at shaped edge of last row. Repeat Rows 1 and 2 of short rows. Work even on all sts for 4 rows. **SHORT ROWS:** (**Row 1:** Work to last 18 sts. **Row 2:** Turn, work to end of row. Work even for 4 rows) twice. Repeat the last 12 rows once more. **SHORT ROWS:** **Row 1:** Work to last 6 sts. **Row 2:** Turn, work to end of row. Work even for 2(2-4-6) rows, ending at straight edge of collar. **SHAPE CENTRE BACK:** **SHORT ROWS:** **Row 1:** Work to last 6 sts. **Row 2:** Turn, work to end of row. **Row 3:** Work to last 12 sts. **Row 4:** Turn, work to end of row. **Row 5:** Work to last 18 sts. **Row 6:** Turn, work to end of row. **Row 7:** Work to last 24 sts. **Row 8:** Turn, work to end of row. Sl sts onto a holder. Work right side of collar to correspond to left side, reversing all shaping. Place the two pieces tog, right sides facing and bind off tog in ribbing the 2 sets of sts.

FINISHING: Sew underarm, shoulder and sleeve seams to markers. Set in sleeves. Sew shaped edge of collar to neck edge, overlapping at centre front.



8002-516

A man and a woman are sitting on a stone wall, looking at each other. The man is on the left, wearing a white cable-knit cardigan and brown checkered trousers. The woman is on the right, wearing a white cable-knit cardigan over a red and white plaid shirt and dark trousers. A small black and white dog is sitting between them. In the background, there is a large stone ruin, possibly a castle or church, and a body of water under a cloudy sky.

4260-516

STYLE NO. 4260-516

(shown on opposite pg.)

These directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

MATERIALS

BERNAT BLARNEYSPUN (50 gr. balls)

— 18(20-22)

OR ANY EQUIVALENT YARN THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 pair each BERNAT-Aero straight knitting needles Nos. 5 and 7 (3.75 mm and 4.50 mm)

OR ANY SIZE NEEDLES THAT WILL GIVE THE SPECIFIED STITCH GAUGE

1 BERNAT-Aero cable stitch needle

3 buttons

GAUGE: 5 sts = 1 inch 7 rows = 1 inch

NOTE: The abbreviations used in the following directions are preceded by the explanation the first time they appear.

PATTERN STITCH FOR BACK

Row 1: K 1, * p 1, k 4, repeat from *, ending p 1, k 1.

Row 2: P 1, * k 1, p 4, repeat from *, ending k 1, p 1.

Row 3: Purl.

Row 4: Repeat Row 2.

Repeat these 4 rows for pattern stitch for back.

BACK: Using smaller needles, cast on 98(108-118) sts. **Row 1:** * K in BACK of next st (k 1 B), p 1, repeat from * across row. **Row 2:** * K 1, p 1, repeat from * across row. Repeat these 2 rows for 2 inches. Change to larger needles and work even in pattern stitch for back until piece measures 15 inches, ending with a wrong side row. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 6(7-9) sts. Dec 1 st each end of needle every other row 3(4-5) times. Work even in pattern as established on 80(86-90) sts until armholes measure 6¾(7¼-7¾) inches. Dec 1 st each end of needle every other row 3 times. Armholes should measure 7½(8-8½) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4(2-6) rows bind off 6(7-7) sts. At the beg of each of the next 4(6-2) rows bind off 5(6-6) sts. Bind off remaining 30 sts.

PATTERN STITCH FOR LEFT FRONT

Row 1: K 1, * p 1, k 4, repeat from * 6(7-8) times, p 3, k 8, p 3.

Row 2 and all even rows: K 3, p 8, k 3, * p 4, k 1, repeat from * 6(7-8) times, p 1.

Row 3: P 39(44-49); sl next 2 sts onto cable needle and hold in BACK of work, k next 2 sts,

k 2 sts from cable needle (C B 4); sl next 2 sts onto cable needle and hold in FRONT of work, k next 2 sts, k 2 sts from cable needle (C F 4); p 3.

Rows 5 and 9: Repeat Row 1.

Row 7: Repeat Row 3.

Row 11: P 39(44-49), k 8, p 3.

Row 12: Repeat Row 2.

Repeat these 12 rows for pattern stitch for left front.

LEFT FRONT: Using smaller needles, cast on 50(54-60) sts. **Row 1:** * K in BACK of next st

(k 1 B), p 1, repeat from * across row. **Row 2:** * K 1, p 1, repeat from * across row. Repeat

these 2 rows for 2 inches, inc 0(1-0) st at beg of last row — 50(55-60) sts. Change to larger

needles and work as follows: K 3, p 8, k 3, put a marker on needle, * p 4, k 1, repeat from *

6(7-8) times, p 1. Work even in pattern st for left front until piece measures 10 inches, ending with a wrong side row. **SHAPE NECK:**

Row 1: Work to 2 sts before marker, k 2 tog, work to end of row. Repeat this dec every 4th

row 15 times more, and AT THE SAME TIME, when piece measures 15 inches, ending at arm

edge and with same row of pattern st as on back at underarm, **SHAPE ARMHOLE:** At the

beg of the next row bind off 6(7-9) sts. Dec 1 st at same edge every other row 3(4-5) times.

When all neck decs have been completed, work even on 25(28-30) sts until armhole

measures 6¾(7¼-7¾) inches. Dec 1 st at arm edge every other row 3 times. Armhole should

measure 7½(8-8½) inches. **SHAPE SADDLE SHOULDER:** At arm edge bind off 6(7-7) sts

2(1-3) times and 5(6-6) sts 2(3-1) times.

PATTERN STITCH FOR RIGHT FRONT

Row 1: P 3, k 8, p 3, * k 4, p 1, repeat from * 6(7-8) times, k 1.

Row 2 and all even rows: P 1, * k 1, p 4, repeat from * 6(7-8) times, k 3, p 8, k 3.

Row 3: P 3, C B 4, C F 4, p 39(44-49).

Rows 5 and 9: Repeat Row 1.

Row 7: Repeat Row 3.

Row 11: P 3, k 8, p 39(44-49).

Row 12: Repeat Row 2.

Repeat these 12 rows for pattern stitch for right front.

RIGHT FRONT: Work to correspond to left front, reversing all shaping. **TO DEC FOR NECK:** Starting at front edge, p 3, k 8, p 3, k 2 tog through BACK LOOPS, work to end of row.

PATTERN STITCH FOR SLEEVES

Row 1: K 0(1-1), * p 1, k 4, repeat from *, ending p 1, k 0(1-1).

Row 2: P 0(1-1), * k 1, p 4, repeat from *, ending k 1, p 0(1-1).

Row 3: Purl.

Row 4: Repeat Row 2.

Repeat these 4 rows for pattern stitch for sleeves.

(cont. on pg. 38)



4260-516 (cont. from pg. 37)

SLEEVES: Using smaller needles, cast on 50(52-52) sts. **Row 1:** * K in BACK of next st (k 1 B), p 1, repeat from * across row. **Row 2:** * K 1, p 1, repeat from * across row. Repeat these 2 rows for 3 inches, inc 1 st at end of last row — 51(53-53) sts. Change to larger needles and work in pattern st for sleeves, inc 1 st each end of needle every 6th row 12(14-16) times, forming new patterns as sts are inc. Work even in pattern as established on 75(81-85) sts until piece measures 19(19½-19½) inches, ending with a wrong side row. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 6(7-9) sts. Dec 1 st each end of needle every 4th row 2(2-4) times then every other row 13(15-13) times. At the beg of each of the next 6 rows bind off 3 sts. **SHAPE SADDLE:** Work even in pattern as established on 15 sts until saddle measures 5(5½-6) inches. Bind off.

FINISHING: Sew front and back shoulders to saddle. Sew underarm and sleeve seams. **FRONTBAND:** Using smaller needles, cast on 11 sts. **Row 1:** P 1, * k 1 B, p 1, repeat from * across row. **Row 2:** K 1, * p 1, k 1, repeat from * across row. Repeat these 2 rows twice more. **BUTTONHOLE:** On the next row work 4 sts, bind off the next 3 sts, work to end of row. On the next row cast on 3 sts over those bound off previous row. Make 2 more buttonholes, evenly spaced — the last one to be made at start of neck shaping. Continue in ribbing until frontband is same length as front and neck edges, stretching slightly. Bind off. Finish buttonholes. Sew frontband in place, stretching slightly. Sew on buttons.



5221-516 (cont. from pg. 23)

Row 20: Repeat Row 4.
Row 21: (K 1, p 1) 9(11-13) times, k 8, p 5, LS 3, k 1, RS 3, p 5, k 8, (p 1, k 1) 9(11-13) times.
Row 22: Repeat Row 2.
Row 23: (K 1, p 1) 9(11-13) times, BC 4, FC 4, p 6; sl next 2 sts onto cable needle and hold in FRONT of work, p 1, k 2, then k 2 sts from cable needle; p 6, BC 4, FC 4, (p 1, k 1) 9(11-13) times.
Row 24: (K 1, p 1) 8(10-12) times, k 2, p 8, k 6, p 4, k 7, p 8, k 2, (p 1, k 1) 8(10-12) times. Repeat these 24 rows for pattern stitch for back and front.

BACK: Using smaller straight needles, cast on 68(76-84) sts. **Row 1:** * K in BACK of next st (k 1 B), p 1, repeat from * across row. **Row 2:** * K 1, p 1, repeat from * across row. Repeat these 2 rows for 20 rows, inc 1 st at beg of last row — 69(77-85) sts. Change to larger needles and work even in pattern st for back until piece measures 9¼(11¼-12¼) inches, ending with a wrong side row. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off 3(5-5) sts. Dec 1 st each end of needle every other row twice. Work even on 59(63-71) sts until armholes measure 4¼(5-6¼) inches, ending with a wrong side row. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off 5(5-6) sts. At the beg of each of the next 2 rows bind off 4(5-6) sts. Sl remaining 31(33-35) sts onto a holder.

(cont. on pg. 39)

FRONT: Work to center to back until armholes measure $3\frac{1}{4}$ inches, ending with a wrong side row. **SHAPE NECK:** Work 23 (24-27) sts, sl centre 13(15-17) sts onto a holder, join another ball of yarn, work last 23(24-27) sts. Working on both sides at once, dec 1 st at each neck edge EVERY ROW 9 times. Work even on 14(15-18) sts of each side until armholes measure $4\frac{3}{4}$ (5-6 $\frac{1}{4}$) inches. **SHAPE SHOULDERS:** At each arm edge bind off 5(5-6) sts twice and 4(5-6) sts once.

SLEEVES: Using smaller straight needles, cast on 30(32-34) sts. Repeat Rows 1 and 2 of back ribbing for 10 rows, inc 1 st at beg of last row — 31(33-35) sts. Change to larger needles and work even in seed st for 4 rows. On the next row inc 1 st each end of needle and repeat this

inc every 1(1- $\frac{1}{4}$) inch 7(8-10) times more, forming new patterns as sts are inc. Work even on 47(51-57) sts until piece measures 11(12 $\frac{1}{4}$ -13 $\frac{3}{4}$) inches, ending with a wrong side row. **SHAPE CAP:** At the beg of each of the next 2 rows bind off 3(5-5) sts. Dec 1 st each end of needle every other row for 2 $\frac{1}{4}$ (3-3 $\frac{1}{4}$) inches. At the beg of each of the next 6 rows bind off 2 sts. Bind off remaining sts.

FINISHING: Sew underarm, shoulder and sleeve seams. Set in sleeves. **NECKBAND:** With right side facing you and using dp needles, pick up and k 76(80-84) sts around neck edge, including sts from holders. **Round 1:** * K 1 B, p 1, repeat from * around. **Round 2:** * K 1, p 1, repeat from * around. Repeat these 2 rounds twice more. Bind off loosely in ribbing.

Instructions in this book specify Bernat Blarney spun. It is this water-resistant yarn, from Ireland itself that produces the truly authentic Irish Fisherman's Knit. You can use these same instructions and achieve the same look with any of four other Bernat yarns in "Natural" or "Oyster White."

The chart below shows the number of skeins or balls you will need in the Bernat yarn you choose. Use the size needles indicated in the directions or any size needles that will give the specified gauge.

Style Number	BERNAT Berella 4® (100 gr. balls)	BERNAT Sesame 4® (100 gr. balls)	BERNAT 50/50 Germantown (50 gr. balls)	BERNAT Fisherman (100 gr. hanks)
1066-516	6(6-6-7-7)	7	12(13-13-14-14)	7
1067-516	8(8-9)	8(9-10)	16(17-18)	8(9-10)
4259-516	6	6(7-7)	12(12-13)	6(7-7)
4260-516	6(7-7)	7(7-8)	12(14-15)	7(7-8)
4261-516	5(6-7)	6(7-8)	11(12-14)	6(7-8)
5220-516	4	4(5-5)	8	4(5-5)
5221-516	4	4	7(7-8)	4
5222-516	3(4-5)	4(4-6)	6(8-11)	4(4-6)
8000-516	6(6-6-7)	6(7-7-8)	12(12-13-14)	6(7-7-8)
8001-516	5(5-6-6)	6(6-7-7)	11(11-13-13)	6(6-7-7)
8002-516	5(6-6-6)	6(6-7-7)	11(12-12-13)	6(6-7-7)
8003-516	5(5-6-6)	5(6-6-7)	10(11-12-13)	5(6-6-7)
8004-516	5(6-6-7)	6(6-7-7)	11(12-12-14)	6(6-7-7)
8005-516	6(6-8-8)	6(7-8-9)	12(13-16-17)	6(7-8-9)

A BETTER KNITTING

STITCH GAUGE

The term "STITCH GAUGE" is the most important part of all knitting directions, since the sizing of any knitted garment is planned on this gauge. You **MUST** work to the gauge which is given or your finished work will not be the size indicated in the directions.

TO CHECK STITCH GAUGE

Cast on approximately 20 sts, using the yarn and needles which will be used for the body of your work. Work in pattern st specified for 3 inches. Bind off all sts. Block this knitted swatch and then, using a ruler as a guide, count the number of sts to 1 inch. If your stitch gauge is **MORE** sts to 1 inch than that given in the directions, try the next size larger needle and again check your gauge. If your st gauge is **LESS** sts to 1 inch than that given in the directions, try the next size smaller needle and again check your gauge. The **IMPORTANT THING** to remember is that the size needle used does not matter as long as your stitch gauge is correct.

RIBBING

On the first row work in the ribbing pattern given. On all other rows, k over the k sts and p over the p sts.

SEED STITCH

On the first row * k 1, p 1, repeat from * to end of row. On all subsequent rows, k over the p st and p over the k st.

TO SLIP A STITCH

Whenever the directions specify a sl st, always insert the right hand needle in the st to be slipped as if to p, unless otherwise indicated.

STOCKINETTE STITCH

K 1 row, p 1 row alternately when working on straight needles. When working round and round on a circular needle or double point needles, knit every round.

GARTER STITCH

Knit every row. It will take 2 rows to make 1 ridge.

MARKERS

When work specifies the use of a marker, use a small round paper clip for this purpose. In working, always slip this marker from one needle to the other.

JOINING YARN

If possible always join a new ball of yarn at the beginning of a row. When it is necessary to join the yarn while working across a row, leave an end about 4 inches long; then work from the new ball of yarn on the next st, also leaving a 4 inch end. After working for 1 inch more, tie these two ends in a square knot, so that the tension will be the same as all other sts. When finishing work, run in these ends on wrong side for 1 inch.

MISSES' SIZES

	10	12	14	16	18
Sizes	34"	36"	38"	40"	42"
Sweater Measurement at Bustline	25"	26"	28"	30"	32"
Waist	35"	37"	39"	41"	43"
Hip	13"	13 1/4"	14 1/2"	15 1/4"	16"
Shoulder Back	4 1/4"	4 1/2"	4 3/4"	5"	5 1/4"
Shoulder	4 1/2"	4 3/4"	5"	5 1/4"	5 1/2"
Back of Neck	7 1/4"	7 1/2"	7 3/4"	8"	8 1/4"
Armhole Depth	8"	8"	8 1/2"	8 1/2"	8 1/2"
Waist to Underarm	18"	18"	18 1/2"	18 1/2"	18 1/2"
Underarm Sleeve Length	12"	12 1/2"	13"	13 1/2"	14"
Sleeve Width at Underarm					

MEN'S AND WOMEN'S SIZES

PULLOVER

	Women's Small	Men's Small Women's Med.	Men's Med. Women's Lg.	Men's Large Women's Ex.Lg.
Sizes	(32-34)	(36-38)	(40-42)	(44-46)
Sweater Measurement	33"	37"	41"	45"
Shoulder Back	13"	15"	16 1/2"	18"
Back of Neck	5 1/2"	5 1/2"	6"	6"
Shoulder	3 1/4"	4 1/2"	5"	6"
Sleeve Width	14"	15"	16"	17"
Sleeve Length	18"	18 1/2"	19"	19 1/2"
Armhole Depth	8"	8 1/2"	9"	9 1/2"

MISSES' SIZES

PULLOVER

	Small (8-10)	Medium (12-14)	Large (16-18)
Sizes			
Sweater Measurement at Bustline	33"	37"	41"
Shoulder Back	12 1/2"	14"	15 1/2"
Back Neck	4 1/2"	5"	5 1/2"
Shoulder	4"	4 1/2"	5"
Sleeve Width	12"	13"	14"
Sleeve Length	17 1/2"	18"	18"
Armhole Depth	7 1/4"	7 3/4"	8 1/4"

6. **SIZE TO NOTE SIZE CHART BEFORE GARMENT**
All garments have been planned to the following measurements.

CHILDREN'S SIZES

	CARDIGAN			PULLOVER		
Sizes	Small	Medium	Large	Small	Medium	Large
	(4-6)	(8-10)	(12-14)	(4-6)	(8-10)	(12-14)
Chest	26½"	29½"	33½"	25"	28"	32"
Length to Underarm	9½"	11¼"	12¼"	9½"	11¼"	12¼"
Shoulder Back	10¼"	11¼"	12¼"	10¼"	11¼"	12¼"
Back Neck	4½"	4½"	4¾"	4½"	4½"	4¾"
Sleeve Width	9¼"	10¼"	11¼"	9¼"	10¼"	11¼"
Sleeve Length	11"	12¾"	13¾"	11"	12¾"	13¾"
Armhole Depth	5"	5¼"	6½"	4¾"	5"	6¼"

MEN'S SIZES

	Small	Medium	Large
	(36-38)	(40-42)	(44-46)
Sizes	37"	41"	45"
Sweater Measurement at Chest	16"	17"	18"
Shoulder Back	6"	6"	6"
Back Neck	5"	5½"	6"
Shoulder	15"	16"	17"
Sleeve Width	18¾"	19¼"	19¾"
Sleeve Length	8½"	9"	9½"
Armhole Depth			

COMPARISON CHART, GRAMS AND OUNCES

First by even ounces:

1 ounce is equal to	28.4 Grams
1½ ounces are equal to	42.6 Grams
2 ounces are equal to	56.8 Grams
4 ounces are equal to	113.6 Grams

Then by Grams:

25 Grams are equal to	.88 ounces
40 Grams are equal to	1.40 ounces
50 Grams are equal to	1.76 ounces
100 Grams are equal to	3.52 ounces



ABBREVIATIONS

english	espanola	francals
k.....	knit.....	punto derecho.....
p.....	purl.....	punto revers.....
beg.....	beginning.....	comenzando.....
st(s).....	stitch(es).....	punto(s).....
ch.....	chain.....	cadena.....
sl.....	slip.....	punto sin tejer.....
sl st.....	slip stitch.....	punto levantado.....
psso.....	pass slip.....	pase un punto.....
	stitch over.....	sin tejer sobre.....
	knit stitch.....	punto tejido.....
sc.....	single crochet.....	crochet sancillo.....
dc.....	double crochet.....	crochet doble.....
inc.....	increase.....	aumentar.....
dec.....	decrease.....	disminuir.....
tog.....	together.....	junto.....
hdc.....	half double crochet.....	medio crochet doble.....
tr.....	treble crochet.....	crochet treble.....
yo.....	yarn over.....	pasar estambre por arriba agujar.....
		simple crochet.....
		double crochet.....
		augmenter.....
		diminuer.....
		ensemble.....
		demi double crochet.....
		treble crochet.....
		passez la maille par dessus l'aiguille.....

* - this symbol indicates that the directions immediately following are to be repeated a given number of times.

*Asterisco: Repita las instrucciones siguiendo el asterisco tantas veces adicionales como este especificado.

* - ce symbole indique que les instructions qui suivent immédiatement devront être répétées le nombre de fois donné.

"Work even" means to work without increasing or decreasing, always keeping pattern as established.

"Work even: Trabaje parejo -siga el patron de puntos sin aumentar or disminuir.

Continuer uniformement-veut dire de travailler sans augmentation ni diminution en observant le patron tel que établi.



10

8000 516